

Health Risk Behaviors among Gender Expansive Students

Making the Case for Including a Measure of Gender Expression in Population-Based Surveys

Appendix IV - Gender Expression Data Analysis in Three Categories by Site

TABLE OF CONTENTS

BROWARD COUNTY MALES.....	2
BROWARD COUNTY FEMALES.....	8
CHICAGO MALES.....	14
CHICAGO FEMALES.....	20
LOS ANGELES MALES.....	26
LOS ANGELES FEMALES.....	32
SAN DIEGO MALES.....	38
SAN DIEGO FEMALES.....	43

The following online content is provided to supplement the Health Risk Behaviors among Gender Expansive Students report and to provide data from each of the four sites (Broward County, Florida; Chicago, Illinois; Los Angeles, California; San Diego, California) that contributed YRBSS survey data for this report. Each of the four sites provided 2013 YRBSS data. Only Broward County and San Diego provided 2015 YRBSS data. An analysis of the combined datasets can be found in Appendices I and II of the report.

The full report is available online at <http://www.advocatesforyouth.org>

BROWARD COUNTY GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

BROWARD COUNTY – WEAPONS AND FIGHTING AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
CARRIED A WEAPON	15.87%	15.05%	(12.85%-17.54%)	16.71%	(10.90%-24.74%)	20.77%	(14.08%-29.54%)
CARRIED A GUN	4.01%	3.50%	(2.33%-5.25%)	1.97%	(0.69%-5.50%)	8.55%*	(4.57%-15.44%)
CARRIED A WEAPON ON SCHOOL PROPERTY	3.50%	2.02%***	(1.27%-3.21%)	4.54%	(2.10%-9.55%)	12.21%***	(7.37%-19.55%)
DID NOT GO TO SCHOOL BECAUSE THEY FELT UNSAFE	8.69%	7.00%***	(5.53%-8.82%)	12.30%	(6.44%-22.22%)	17.54%***	(11.84%-25.19%)
WERE THREATENED OR INJURED WITH A WEAPON ON SCHOOL PROPERTY	6.40%	4.46%***	(3.38%-5.87%)	12.04%*	(7.11%-19.66%)	14.70%***	(9.97%-21.15%)
WERE IN A PHYSICAL FIGHT	26.09%	25.68%	(22.94%-28.62%)	23.05%	(16.27%-31.59%)	30.96%	(23.74%-39.24%)
WERE INJURED IN A PHYSICAL FIGHT	3.05%	2.06%***	(1.28%-3.31%)	1.79%	(0.46%-6.71%)	10.17%***	(5.71%-17.47%)
WERE IN A PHYSICAL FIGHT ON SCHOOL PROPERTY	7.98%	6.64%***	(5.20%-8.46%)	7.79%	(3.86%-15.11%)	16.85%***	(10.82%-25.30%)

BROWARD COUNTY – DATING AND SEXUAL VIOLENCE AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
WERE EVER PHYSICALLY FORCED TO HAVE SEXUAL INTERCOURSE	6.67%	4.75%***	(3.47%-6.47%)	7.71%	(3.92%-14.62%)	18.36%***	(12.13%-26.80%)
EXPERIENCED PHYSICAL DATING VIOLENCE	6.84%	5.47%**	(3.77%-7.87%)	6.92%	(2.23%-19.54%)	15.53%** 17.41%***	(9.57%-24.19%)
EXPERIENCED SEXUAL DATING VIOLENCE	5.29%	3.65%***	(2.37%-5.58%)	2.79%	(0.74%-9.87%)		(11.04%-26.37%)

*** p<.001 ** p<.05 * p<.01 +p<.1

BROWARD COUNTY GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

BROWARD COUNTY – BULLYING, TEASING, HARASSMENT, AND SCHOOL PERFORMANCE AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
WERE BULLIED ON SCHOOL PROPERTY	12.01%	8.21%***	(6.46%-10.39%)	24.19%**	(15.84%-35.10%)	29.00%***	(22.03%-37.14%)
WERE ELECTRONICALLY BULLIED	7.20%	4.86%***	(3.65%-6.43%)	8.49%	(4.76%-14.72%)	21.55%***	(15.02%-29.92%)
TEASED FOR BEING GAY	10.30%	6.66%***	(5.03%-8.77%)	19.41%**	(12.85%-28.23%)	28.77%***	(20.77%-38.35%)
TEASED OR HARASSED FOR BEING GAY	10.30%	6.66%***	(5.03%-8.77%)	19.41%**	(12.85%-28.23%)	28.77%***	(20.77%-38.35%)
GET MOSTLY AS AND BS AND BS	68.38%	69.63%	(64.40%-74.40%)	61.52%	(48.39%-73.17%)	65.45%	(54.38%-75.06%)

BROWARD COUNTY – SADNESS AND SUICIDE AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
FELT SAD OR HOPELESS	19.42%	16.77%***	(14.52%-19.29%)	28.28%*	(19.51%-39.08%)	31.06%**	(23.28%-40.09%)
SERIOUSLY CONSIDERED ATTEMPTING SUICIDE	10.83%	7.62%***	(6.09%-9.50%)	17.57%*	(10.95%-26.99%)	27.26%***	(20.22%-35.65%)
MADE A PLAN ABOUT HOW THEY WOULD ATTEMPT SUICIDE	9.97%	7.57%***	(6.04%-9.45%)	13.04%	(7.73%-21.16%)	23.88%***	(17.83%-31.21%)
ATTEMPTED SUICIDE	6.13%	4.00%***	(2.77%-5.75%)	9.40%	(4.86%-17.42%)	19.47%***	(12.91%-28.28%)
NONSUICIDE SELF-INJURY	---	---	---	---	---	---	---

*** p<.001 ** p<.05 * p<.01 +p<.1

BROWARD COUNTY GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

BROWARD COUNTY — OTHER UNINTENTIONAL INJURY RISK BEHAVIORS AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
RARELY OR NEVER WORE A SEAT BELT	9.43%	7.77%***	(6.14%-9.79%)	11.61%	(7.29%-17.99%)	18.33%***	(12.56%-25.97%)
RODE WITH A DRIVER WHO HAD BEEN DRINKING ALCOHOL	21.89%	20.10%**	(17.59%-22.86%)	30.27%*	(21.63%-40.58%)	27.83%+	(20.43%-36.69%)

BROWARD COUNTY — TOBACCO USE AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
EVER TRIED CIGARETTE SMOKING	27.78%	25.67%**	(22.29%-29.36%)	34.14%	(22.83%-47.59%)	38.89%*	(29.97%-48.63%)
SMOKED A WHOLE CIGARETTE BEFORE AGE 13 YEARS	5.09%	3.66%***	(2.65%-5.04%)	4.48%	(1.32%-14.13%)	15.99%***	(10.30%-23.98%)
CURRENTLY SMOKED CIGARETTES	5.90%	5.43%	(3.92%-7.47%)	2.19%	(0.47%-9.55%)	12.15%**	(7.50%-19.09%)
SMOKED AT SCHOOL	2.65%	1.18%***	(0.66%-2.12%)	0.84%	(0.11%-5.87%)	13.85%***	(8.46%-21.86%)
CURRENTLY USE SMOKELESS TOBACCO	6.10%	3.19%***	(2.11%-4.78%)	9.02%	(4.36%-17.73%)	22.42%***	(16.05%-30.40%)
CURRENTLY SMOKED CIGARS	9.99%	8.12%**	(6.18%-10.62%)	10.76%	(5.60%-19.67%)	21.04%***	(14.37%-29.74%)

BROWARD COUNTY — ALCOHOL USE AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
EVER DRANK ALCOHOL	61.31%	63.84%**	(59.86%-67.63%)	55.88%	(42.55%-68.40%)	46.59%**	(37.97%-55.41%)
DRANK ALCOHOL BEFORE AGE 13 YEARS	17.87%	16.48%*	(14.03%-19.27%)	20.13%	(12.88%-30.07%)	25.12%*	(19.02%-32.40%)
USUALLY OBTAINED THE ALCOHOL THEY DRANK BY SOMEONE GIVING IT TO THEM	36.99%	39.21%	(31.37%-47.65%)	27.30%	(12.47%-49.74%)	23.96%	(9.87%-47.55%)

*** p<.001 ** p<.05 * p<.01 +p<.1

BROWARD COUNTY GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

BROWARD COUNTY — OTHER DRUG USE AMONG MALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
TRIED MARIJUANA BEFORE AGE 13 YEARS	9.78%	7.79%***	(6.06%–9.97%)	16.25%*	(9.54%–26.32%)	19.03%***	(13.24%–26.57%)
CURRENTLY USED MARIJUANA	26.56%	27.13%	(23.56%–31.03%)	24.35%	(15.61%–35.91%)	24.01%	(17.74%–31.65%)
EVER USED COCAINE	6.79%	4.18%***	(2.87%–6.04%)	9.98%	(5.09%–18.65%)	21.05%***	(15.39%–28.12%)
EVER USED INHALANTS	6.85%	4.27%***	(3.05%–5.93%)	9.18%	(4.59%–17.51%)	21.48%***	(15.90%–28.35%)
EVER USED HEROIN	3.70%	1.25%***	(0.66%–2.35%)	6.40%	(2.82%–13.88%)	17.17%***	(12.07%–23.83%)
EVER USED METHAMPHETAMINES	4.51%	1.82%***	(1.10%–2.98%)	7.18%	(3.41%–14.47%)	19.68%***	(13.26%–28.19%)
EVER USED ECSTASY	7.21%	4.99%***	(3.72%–6.67%)	10.67%	(5.47%–19.78%)	18.69%***	(12.98%–26.15%)
EVER USED SYNTHETIC CANNABINOIDS	8.77%	5.37%***	(3.40%–8.40%)	5.61%	(1.86%–15.69%)	29.18%***	(20.14%–40.24%)
EVER TOOK STEROIDS WITHOUT A DOCTOR'S PRESCRIPTION	3.96%	1.53%***	(0.94%–2.49%)	8.42%*	(4.10%–16.50%)	16.28%***	(10.80%–23.82%)
EVER TOOK PRESCRIPTION DRUGS WITHOUT A DOCTOR'S PRESCRIPTION	14.51%	11.90%***	(9.74%–14.47%)	18.18%	(10.53%–29.54%)	28.31%***	(21.79%–35.90%)
EVER INJECTED ANY ILLEGAL DRUG	2.56%	0.75%***	(0.36%–1.58%)	3.07%	(0.88%–10.18%)	14.02%***	(9.44%–20.31%)
EVER USED ILLEGAL DRUGS AT SCHOOL	34.69%	31.79%***	(28.61%–35.15%)	31.52%	(23.05%–41.41%)	57.39%***	(48.95%–65.43%)
EVER USED ANY HARD DRUGS	15.26%	11.36%***	(9.31%–13.80%)	18.48%	(11.55%–28.22%)	37.19%***	(29.32%–45.80%)

*** p<.001 ** p<.05 * p<.01 +p<.1

BROWARD COUNTY GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

BROWARD COUNTY — SEXUAL BEHAVIOR AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
EVER HAD SEXUAL INTERCOURSE	45.47%	46.34%	(41.99%-50.75%)	41.26%	(30.34%-53.12%)	39.65%	(28.92%-51.48%)
HAD SEXUAL INTERCOURSE BEFORE AGE 13 YEARS	8.59%	8.24%	(6.41%-10.55%)	11.34%	(5.73%-21.22%)	9.53%	(4.42%-19.33%)
HAD SEXUAL INTERCOURSE WITH FOUR OR MORE PERSONS	15.65%	16.05%	(13.41%-19.10%)	15.28%	(8.39%-26.23%)	11.04%	(4.81%-23.34%)
WERE CURRENTLY SEXUALLY ACTIVE	30.03%	30.65%	(27.29%-34.22%)	22.66%	(13.64%-35.21%)	31.19%	(20.82%-43.86%)

BROWARD COUNTY — HIV TESTING AND INFORMATION AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
WERE EVER TESTED FOR HIV	20.81%	18.24%*	(14.14%-23.20%)	19.71%	(10.14%-34.81%)	36.62%***	(26.86%-47.61%)
EVER TAUGHT ABOUT HIV IN SCHOOL	82.64%	86.22%***	(83.68%-88.43%)	70.83%***	(61.90%-78.39%)	67.32%***	(58.94%-74.72%)

BROWARD COUNTY — WEIGHT AND WEIGHT MANAGEMENT AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
OVERWEIGHT OR OBESE	21.83%	21.87%	(19.06%-24.97%)	28.89%	(20.50%-39.02%)	16.98%	(10.55%-26.19%)
TRIED TO LOSE WEIGHT	31.50%	28.92%***	(26.26%-31.73%)	35.73%	(26.71%-45.88%)	45.22%***	(37.33%-53.35%)
NOT EAT, USE DIET PRODUCTS OR VOMIT TO LOSE WEIGHT	13.01%	6.97%***	(4.85%-9.92%)	16.37%	(9.10%-27.68%)	54.57%***	(41.51%-67.02%)

*** p<.001 ** p<.05 * p<.01 +p<.1

BROWARD COUNTY GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

BROWARD COUNTY — PHYSICAL ACTIVITY AMONG MALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
WERE PHYSICALLY ACTIVE AT LEAST 60 MINUTES PER DAY ON 5 OR MORE DAYS	47.11%	52.27%***	(48.76%-55.76%)	41.75%	(32.89%-51.19%)	18.38%***	(11.58%-27.92%)
WATCHED TELEVISION 3 OR MORE HOURS PER DAY	29.45%	31.60%**	(27.87%-35.58%)	30.26%	(21.48%-40.77%)	15.66%***	(10.26%-23.17%)
PLAYED VIDEO OR COMPUTER GAMES OR USED A COMPUTER 3 OR MORE HOURS PER DAY	38.78%	40.52%+	(37.28%-43.85%)	44.52%	(33.05%-56.61%)	24.94%***	(18.74%-32.37%)
PLAYED ON AT LEAST ONE SPORTS TEAM	55.28%	57.73%**	(53.98%-61.39%)	39.98%**	(30.45%-50.35%)	49.52%	(40.06%-59.02%)
HAD EVER BEEN TOLD BY A DOCTOR OR NURSE THAT THEY HAD ASTHMA	24.78%	21.81%***	(19.17%-24.69%)	25.57%	(16.50%-37.40%)	43.81%***	(34.61%-53.44%)

*** p<.001 ** p<.05 * p<.01 +p<.1

BROWARD COUNTY GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

BROWARD COUNTY — DATING AND SEXUAL VIOLENCE AMONG FEMALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
WERE EVER PHYSICALLY FORCED TO HAVE SEXUAL INTERCOURSE	9.56%	8.75%**	(7.37%-10.35%)	15.50%**	(10.27%-22.72%)	10.42%	(4.84%-21.00%)
EXPERIENCED PHYSICAL DATING VIOLENCE	9.98%	9.20%+	(7.28%-11.58%)	13.69%	(7.50%-23.71%)	16.84%	(7.62%-33.21%)
EXPERIENCED SEXUAL DATING VIOLENCE	15.05%	15.03%	(12.05%-18.59%)	14.87%	(7.90%-26.24%)	15.97%	(7.11%-32.06%)

BROWARD COUNTY — BULLYING, TEASING, HARASSMENT, AND SCHOOL PERFORMANCE AMONG FEMALES BY GENDER EXPRESSION							
VARIABLE	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
WERE BULLIED ON SCHOOL PROPERTY	17.36%	16.48%*	(14.61%-18.54%)	24.68%*	(18.59%-31.99%)	16.25%	(8.25%-29.50%)
WERE ELECTRONICALLY BULLIED	14.44%	13.05%**	(10.88%-15.57%)	25.63%***	(19.20%-33.33%)	13.39%	(5.59%-28.75%)
TEASED FOR BEING GAY	10.19%	8.13%***	(6.53%-10.07%)	22.01%***	(15.01%-31.07%)	22.02%*	(11.23%-38.66%)
HARASSED FOR BEING GAY	---	---	---	---	---	---	---
TEASED OR HARASSED FOR BEING GAY	10.19%	8.13%***	(6.53%-10.07%)	22.01%***	(15.01%-31.07%)	22.02%*	(11.23%-38.66%)
GET MOSTLY AS AND BS	72.85%	75.58%**	(71.48%-79.27%)	62.05%**	(51.79%-71.35%)	55.61%*	(37.07%-72.71%)

*** p<.001 ** p<.05 * p<.01 +p<.1

BROWARD COUNTY GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

BROWARD COUNTY — SADNESS AND SUICIDE AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
FELT SAD OR HOPELESS	36.30%	34.82%*	(31.98%-37.76%)	48.61%***	(41.00%-56.28%)	34.40%	(21.69%-49.83%)
SERIOUSLY CONSIDERED ATTEMPTING SUICIDE	18.65%	16.16%***	(14.35%-18.14%)	33.78%***	(25.83%-42.78%)	30.99%*	(18.40%-47.22%)
MADE A PLAN ABOUT HOW THEY WOULD ATTEMPT SUICIDE	15.06%	13.25%***	(11.32%-15.44%)	26.07%***	(18.64%-35.17%)	23.90%	(12.78%-40.23%)
ATTEMPTED SUICIDE	10.45%	8.82%***	(7.22%-10.75%)	19.21%**	(12.91%-27.61%)	23.57%**	(13.03%-38.82%)
NONSUICIDE SELF-INJURY	---	---	---	---	---	---	---

BROWARD COUNTY — OTHER UNINTENTIONAL INJURY RISK BEHAVIORS AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
RARELY OR NEVER WORE A SEAT BELT	5.33%	4.89%	(3.68%-6.47%)	3.24%	(1.28%-7.98%)	19.84%***	(10.43%-34.48%)
RODE WITH A DRIVER WHO HAD BEEN DRINKING ALCOHOL	20.23%	20.03%	(17.57%-22.75%)	22.11%	(14.66%-31.91%)	19.45%	(10.90%-32.26%)

*** p<.001 ** p<.05 * p<.01 +p<.1

BROWARD COUNTY GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

BROWARD COUNTY — TOBACCO USE AMONG FEMALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
EVER TRIED CIGARETTE SMOKING	21.06%	20.76%	(18.37%-23.38%)	20.01%	(14.07%-27.64%)	30.39%	(19.25%-44.42%)
SMOKED A WHOLE CIGARETTE BEFORE AGE 13 YEARS	2.63%	2.14%*	(1.40%-3.25%)	4.04%	(1.64%-9.58%)	9.59%**	(3.68%-22.73%)
CURRENTLY SMOKED CIGARETTES	4.15%	3.96%	(2.90%-5.40%)	5.24%	(2.38%-11.18%)	5.16%	(1.56%-15.69%)
SMOKED AT SCHOOL	1.23%	1.06%	(0.54%-2.07%)	2.34%	(0.90%-5.95%)	2.07%	(0.29%-13.47%)
CURRENTLY USE SMOKELESS TOBACCO	1.43%	0.81%***	(0.40%-1.64%)	3.95%*	(1.76%-8.61%)	7.53%***	(3.13%-17.04%)
CURRENTLY SMOKED CIGARS	3.96%	3.79%	(2.79%-5.13%)	6.22%	(3.17%-11.86%)	1.59%	(0.21%-10.83%)

BROWARD COUNTY — ALCOHOL USE AMONG FEMALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
EVER DRANK ALCOHOL	65.06%	66.11%	(62.22%-69.78%)	64.93%	(56.12%-72.83%)	43.77%*	(27.88%-61.04%)
DRANK ALCOHOL BEFORE AGE 13 YEARS	16.90%	16.42%	(14.05%-19.11%)	20.07%	(14.60%-26.96%)	18.36%	(10.05%-31.18%)
USUALLY OBTAINED THE ALCOHOL THEY DRANK BY SOMEONE GIVING IT TO THEM	41.96%	43.75%	(38.69%-48.95%)	35.51%	(21.38%-52.72%)	16.73%*	(5.73%-39.91%)

*** p<.001 ** p<.05 * p<.01 +p<.1

BROWARD COUNTY GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

BROWARD COUNTY – OTHER DRUG USE AMONG FEMALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
TRIED MARIJUANA BEFORE AGE 13 YEARS	5.55%	4.68%***	(3.70%-5.92%)	11.80%***	(7.76%-17.55%)	6.83%	(2.12%-19.89%)
CURRENTLY USED MARIJUANA	20.67%	19.56%*	(17.38%-21.94%)	28.05%*	(20.71%-36.78%)	24.43%	(14.04%-39.02%)
EVER USED COCAINE	4.34%	3.97%	(3.03%-5.20%)	6.29%	(3.29%-11.71%)	6.63%	(1.93%-20.42%)
EVER USED INHALANTS	6.51%	6.14%	(4.60%-8.16%)	9.66%	(5.85%-15.56%)	5.62%	(2.16%-13.82%)
EVER USED HEROIN	2.02%	1.77%	(1.11%-2.81%)	3.65%	(1.56%-8.34%)	2.89%	(0.71%-11.02%)
EVER USED METHAMPHETAMINES	2.64%	2.43%	(1.69%-3.47%)	4.87%	(2.26%-10.15%)	1.17%	(0.15%-8.31%)
EVER USED ECSTASY	5.35%	5.20%	(4.26%-6.33%)	6.65%	(3.57%-12.04%)	5.04%	(1.65%-14.32%)
EVER USED SYNTHETIC CANNABINOIDS	5.19%	5.10%	(3.42%-7.55%)	7.43%	(3.10%-16.75%)	0.00%	(%-.)
EVER TOOK STEROIDS WITHOUT A DOCTOR'S PRESCRIPTION	2.09%	1.85%	(1.17%-2.91%)	3.41%	(1.40%-8.06%)	3.65%	(0.94%-13.19%)
EVER TOOK PRESCRIPTION DRUGS WITHOUT A DOCTOR'S PRESCRIPTION	11.17%	11.04%	(9.08%-13.36%)	13.87%	(9.12%-20.54%)	6.69%	(2.39%-17.33%)
EVER INJECTED ANY ILLEGAL DRUG	2.55%	2.31%	(1.49%-3.57%)	4.75%	(2.13%-10.26%)	1.69%	(0.24%-10.79%)
EVER USED ILLEGAL DRUGS AT SCHOOL	28.63%	28.01%	(24.70%-31.57%)	35.88%+	(28.16%-44.42%)	21.86%	(11.07%-38.58%)
EVER USED ANY HARD DRUGS	13.27%	12.69%	(10.58%-15.15%)	17.69%	(12.24%-24.88%)	13.62%	(5.91%-28.37%)

*** p<.001 ** p<.05 * p<.01 +p<.1

BROWARD COUNTY GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

BROWARD COUNTY – SEXUAL BEHAVIOR AMONG FEMALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
EVER HAD SEXUAL INTERCOURSE	35.81%	35.57%	(31.99%–39.32%)	37.79%	(29.27%–47.14%)	35.71%	(22.49%–51.54%)
HAD SEXUAL INTERCOURSE BEFORE AGE 13 YEARS	2.37%	1.62%***	(0.92%–2.84%)	5.43%*	(2.69%–10.66%)	10.28%**	(4.33%–22.47%)
HAD SEXUAL INTERCOURSE WITH FOUR OR MORE PERSONS	7.11%	6.50%+	(4.85%–8.67%)	8.25%	(4.81%–13.80%)	17.30%**	(8.75%–31.32%)
WERE CURRENTLY SEXUALLY ACTIVE	25.46%	24.79%	(21.52%–28.38%)	28.46%	(21.09%–37.20%)	31.84%	(19.96%–46.66%)

BROWARD COUNTY – HIV TESTING AND INFORMATION AMONG FEMALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
WERE EVER TESTED FOR HIV	16.91%	15.93%	(12.89%–19.52%)	16.83%	(10.72%–25.44%)	34.19%*	(18.31%–54.62%)
EVER TAUGHT ABOUT HIV IN SCHOOL	86.26%	86.40%	(83.78%–88.65%)	85.26%	(77.30%–90.76%)	85.99%	(74.59%–92.77%)

BROWARD COUNTY – WEIGHT AND WEIGHT MANAGEMENT AMONG FEMALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
OVERWEIGHT OR OBESE	33.07%	32.08%	(29.68%–34.59%)	41.84%**	(35.19%–48.80%)	30.39%	(17.07%–48.08%)
TRIED TO LOSE WEIGHT	56.97%	57.66%	(54.84%–60.43%)	55.74%	(45.76%–65.29%)	46.04%	(31.09%–61.74%)
NOT EAT, USE DIET PRODUCTS OR VOMIT TO LOSE WEIGHT	20.23%	19.50%	(16.46%–22.95%)	23.27%	(14.44%–35.27%)	31.35%	(14.70%–54.76%)

*** p<.001 ** p<.05 * p<.01 +p<.1

BROWARD COUNTY GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

BROWARD COUNTY — PHYSICAL ACTIVITY AMONG FEMALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
WERE PHYSICALLY ACTIVE AT LEAST 60 MINUTES PER DAY ON 5 OR MORE DAYS	26.67%	25.10%**	(22.27%-28.16%)	31.47%	(23.87%-40.21%)	45.95%**	(32.87%-59.61%)
WATCHED TELEVISION 3 OR MORE HOURS PER DAY	29.55%	28.91%	(25.85%-32.17%)	29.68%	(23.15%-37.17%)	42.15%*	(30.13%-55.18%)
PLAYED VIDEO OR COMPUTER GAMES OR USED A COMPUTER 3 OR MORE HOURS PER DAY	39.58%	38.67%*	(35.65%-41.79%)	47.17%*	(40.54%-53.91%)	38.11%	(28.03%-49.33%)
PLAYED ON AT LEAST ONE SPORTS TEAM	40.59%	38.78%**	(35.56%-42.11%)	48.54%*	(40.78%-56.37%)	56.32%*	(43.11%-68.69%)
HAD EVER BEEN TOLD BY A DOCTOR OR NURSE THAT THEY HAD ASTHMA	20.01%	19.24%	(16.47%-22.36%)	26.37%	(18.60%-35.95%)	18.80%	(10.60%-31.14%)

*** p<.001 ** p<.05 * p<.01 +p<.1

CHICAGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

CHICAGO — WEAPONS AND FIGHTING AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
CARRIED A WEAPON	18.63%	17.48%	(13.75%-21.95%)	10.09%*	(5.33%-18.27%)	29.06%*	(20.11%-39.99%)
CARRIED A GUN	8.58%	6.79%*	(4.33%-10.51%)	3.41%*	(1.30%-8.69%)	18.35%**	(10.89%-29.25%)
CARRIED A WEAPON ON SCHOOL PROPERTY	5.12%	4.74%	(3.00%-7.39%)	1.73%+	(0.39%-7.25%)	8.86%+	(4.65%-16.23%)
DID NOT GO TO SCHOOL BECAUSE THEY FELT UNSAFE	11.96%	7.36%***	(5.10%-10.52%)	13.27%	(7.10%-23.46%)	26.42%***	(19.07%-35.36%)
WERE THREATENED OR INJURED WITH A WEAPON ON SCHOOL PROPERTY	9.89%	6.62%****	(4.51%-9.63%)	12.73%	(6.32%-23.97%)	18.60%***	(14.14%-24.07%)
WERE IN A PHYSICAL FIGHT	---	---	---	---	---	---	---
WERE INJURED IN A PHYSICAL FIGHT	12.27%	10.99%	(7.17%-16.49%)	7.28%	(2.57%-18.98%)	19.99%*	(12.53%-30.33%)
WERE IN A PHYSICAL FIGHT ON SCHOOL PROPERTY	18.63%	14.36%**	(9.67%-20.81%)	11.23%	(5.01%-23.28%)	37.73%***	(28.45%-48.00%)

CHICAGO — DATING AND SEXUAL VIOLENCE AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
WERE EVER PHYSICALLY FORCED TO HAVE SEXUAL INTERCOURSE	8.25%	7.13%	(4.54%-11.05%)	6.98%	(2.53%-17.84%)	12.98%*	(8.50%-19.33%)
EXPERIENCED PHYSICAL DATING VIOLENCE	9.87%	9.20%	(5.83%-14.23%)	12.48%	(5.32%-26.58%)	10.51%	(6.14%-17.41%)
EXPERIENCED SEXUAL DATING VIOLENCE	7.00%	5.46%+	(2.90%-10.04%)	9.41%	(2.64%-28.43%)	10.92%	(5.52%-20.46%)

*** p<.001 ** p<.05 * p<.01 +p<.1

CHICAGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

CHICAGO — BULLYING, TEASING, HARASSMENT, AND SCHOOL PERFORMANCE AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
WERE BULLIED ON SCHOOL PROPERTY	13.46%	10.76%*	((7.13%-15.92%)	18.05%	(10.73%-28.74%)	19.16%	(12.10%-28.99%)
WERE ELECTRONICALLY BULLIED	9.94%	6.64%**	(4.42%-9.87%)	12.49%	(6.02%-24.12%)	18.94%**	(12.18%-28.24%)
TEASED FOR BEING GAY	8.79%	6.64%*	(4.58%-9.53%)	11.52%	(4.95%-24.56%)	14.12%*	(9.84%-19.86%)
TEASED OR HARASSED FOR BEING GAY	8.79%	6.64%*	(4.58%-9.53%)	11.52%	(4.95%-24.56%)	14.12%*	(9.84%-19.86%)
GET MOSTLY AS AND BS AND BS	---	---	---	---	---	---	---

CHICAGO — SADNESS AND SUICIDE AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
FELT SAD OR HOPELESS	23.43%	23.76%	(19.76%-28.28%)	18.63%	(10.91%-29.97%)	25.79%	(18.92%-34.11%)
SERIOUSLY CONSIDERED ATTEMPTING SUICIDE	11.15%	7.73%**	(5.50%-10.78%)	15.63%	(8.89%-26.03%)	19.20%**	(13.41%-26.71%)
MADE A PLAN ABOUT HOW THEY WOULD ATTEMPT SUICIDE	10.80%	8.77%*	(7.07%-10.84%)	14.92%	(7.32%-28.02%)	14.57%	(9.62%-21.47%)
ATTEMPTED SUICIDE	6.83%	4.50%***	(2.97%-6.77%)	7.58%	(3.24%-16.75%)	15.66%**	(9.95%-23.78%)
NONSUICIDE SELF-INJURY	14.14%	10.69%**	(8.39%-13.53%)	16.07%	(8.64%-27.93%)	24.10%**	(16.56%-33.70%)

CHICAGO — OTHER UNINTENTIONAL INJURY RISK BEHAVIORS AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
RARELY OR NEVER WORE A SEAT BELT	12.91%	10.06%**	(7.47%-13.42%)	14.20%	(7.03%-26.59%)	21.32%**	(15.28%-28.93%)
RODE WITH A DRIVER WHO HAD BEEN DRINKING ALCOHOL	29.22%	28.72%	(23.28%-34.84%)	22.48%	(15.80%-30.93%)	35.52%*	(27.37%-44.60%)

*** p<.001 ** p<.05 * p<.01 +p<.1

CHICAGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

CHICAGO — TOBACCO USE AMONG MALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
EVER TRIED CIGARETTE SMOKING	48.20%	45.13%*	(39.12%-51.28%)	52.28%	(40.79%-63.54%)	56.34%	(44.66%-67.35%)
SMOKED A WHOLE CIGARETTE BEFORE AGE 13 YEARS	13.66%	9.41%***	(6.85%-12.81%)	17.51%	(10.19%-28.43%)	26.11%**	(16.09%-39.45%)
CURRENTLY SMOKED CIGARETTES	13.46%	12.07%	(8.33%-17.17%)	13.51%	(6.61%-25.65%)	18.75%+	(12.96%-26.34%)
SMOKED AT SCHOOL	5.92%	4.23%*	(2.53%-7.01%)	7.91%	(2.81%-20.33%)	10.39%*	(6.07%-17.22%)
CURRENTLY USE SMOKELESS TOBACCO	6.44%	4.93%+	(2.73%-8.75%)	2.88%	(0.87%-9.13%)	13.80%***	(8.75%-21.09%)
CURRENTLY SMOKED CIGARS	12.34%	11.43%	(8.78%-14.75%)	11.77%	(6.19%-21.22%)	15.69%	(10.93%-22.02%)

CHICAGO — ALCOHOL USE AMONG MALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
EVER DRANK ALCOHOL	65.84%	67.30%	(61.57%-72.56%)	53.18%+	(35.97%-69.66%)	69.92%	(59.70%-78.48%)
DRANK ALCOHOL BEFORE AGE 13 YEARS	25.49%	23.33%+	(18.75%-28.62%)	30.94%	(19.32%-45.60%)	28.68%	(21.18%-37.58%)
USUALLY OBTAINED THE ALCOHOL THEY DRANK BY SOMEONE GIVING IT TO THEM	24.35%	30.42%**	(24.22%-37.42%)	20.18%	(8.57%-40.52%)	3.40%*	(0.45%-21.68%)

*** p<.001 ** p<.05 * p<.01 +p<.1

CHICAGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

CHICAGO — OTHER DRUG USE AMONG MALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
TRIED MARIJUANA BEFORE AGE 13 YEARS	15.98%	13.76%+	(10.06%-18.54%)	16.30%	(8.07%-30.15%)	23.59%*	(15.83%-33.62%)
CURRENTLY USED MARIJUANA	31.40%	29.90%	(25.18%-35.10%)	26.30%	(16.43%-39.31%)	39.92%*	(30.76%-49.84%)
EVER USED COCAINE	9.84%	6.29%**	(4.27%-9.18%)	8.48%	(4.21%-16.35%)	22.31%***	(14.18%-33.28%)
EVER USED INHALANTS	10.49%	9.14%	(6.30%-13.08%)	8.48%	(3.62%-18.58%)	16.27%*	(9.44%-26.60%)
EVER USED HEROIN	5.60%	2.54%***	(1.36%-4.73%)	5.52%	(2.05%-13.97%)	15.55%***	(8.49%-26.77%)
EVER USED METHAMPHETAMINES	4.49%	1.54%***	(0.64%-3.66%)	6.70%	(3.18%-13.58%)	12.54%***	(7.07%-21.26%)
EVER USED ECSTASY	10.91%	8.93%*	(6.32%-12.47%)	8.89%	(4.58%-16.56%)-	18.70%**	(13.25%-25.74%)
EVER USED SYNTHETIC CANNABINOIDS	---	---	---	---	---	---	---
EVER TOOK STEROIDS WITHOUT A DOCTOR'S PRESCRIPTION	5.30%	1.69%***	(0.81%-3.47%)	6.13%	(2.69%-13.34%)	16.48%***	(10.37%-25.17%)
EVER TOOK PRESCRIPTION DRUGS WITHOUT A DOCTOR'S PRESCRIPTION	14.71%	14.98%	(10.96%-20.15%)	8.04%*	(4.42%-14.17%)	18.44%	(10.84%-29.61%)
EVER INJECTED ANY ILLEGAL DRUG	3.30%	0.98%***	(0.38%-2.52%)	7.55%*	(3.16%-16.94%)	7.93%+	(3.17%-18.49%)
EVER USED ILLEGAL DRUGS AT SCHOOL	33.56%	35.06%	(29.55%-41.00%)	29.03%	(19.31%-41.15%)	31.68%	(23.11%-41.71%)
EVER USED ANY HARD DRUGS	22.53%	19.41%*	(16.01%-23.33%)	13.84%+	(8.19%-22.43%)	38.60%***	(27.46%-51.08%)

*** p<.001 ** p<.05 * p<.01 +p<.1

CHICAGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

CHICAGO – SEXUAL BEHAVIOR AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
EVER HAD SEXUAL INTERCOURSE	59.32%	58.01%	(50.93%-64.76%)	48.93%	(33.74%-64.33%)	74.13%*	(61.16%-83.91%)
HAD SEXUAL INTERCOURSE BEFORE AGE 13 YEARS	15.29%	12.91%+	(8.46%-19.23%)	12.09%	(4.35%-29.36%)	28.07%**	(17.29%-42.16%)
HAD SEXUAL INTERCOURSE WITH FOUR OR MORE PERSONS	26.32%	25.26%	(17.99%-34.23%)	14.18%+	(6.35%-28.70%)	42.09%*	(27.77%-57.88%)
WERE CURRENTLY SEXUALLY ACTIVE	40.61%	39.05%	(31.92%-46.69%)	31.99%	(20.42%-46.31%)	55.06%*	(44.71%-64.99%)

CHICAGO – HIV TESTING AND INFORMATION AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
WERE EVER TESTED FOR HIV	25.86%	22.03%*	(14.91%-31.32%)	26.60%	(14.46%-43.72%)	38.14%*	(27.60%-49.94%)
EVER TAUGHT ABOUT HIV IN SCHOOL	76.06%	81.55%***	(77.32%-85.15%)	76.92%	(66.57%-84.80%)	55.62%***	(44.62%-66.09%)

CHICAGO – WEIGHT AND WEIGHT MANAGEMENT AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
OVERWEIGHT OR OBESE	24.45%	26.38%	(22.02%-31.26%)	25.17%	(14.57%-39.88%)	17.77%*	(12.03%-25.45%)
TRIED TO LOSE WEIGHT	35.82%	35.80%	(29.38%-42.78%)	34.35%	(24.37%-45.93%)	36.90%	(30.35%-43.97%)
NOT EAT, USE DIET PRODUCTS OR VOMIT TO LOSE WEIGHT	14.99%	8.86%***	(6.99%-11.17%)	14.98%	(7.34%-28.16%)	34.90%***	(27.19%-43.49%)

*** p<.001 ** p<.05 * p<.01 +p<.1

CHICAGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

CHICAGO — PHYSICAL ACTIVITY AMONG MALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
WERE PHYSICALLY ACTIVE AT LEAST 60 MINUTES PER DAY ON 5 OR MORE DAYS	42.00%	46.87%**	(41.23%-52.60%)	42.43%	(31.91%-53.68%)	26.05%***	(17.41%-37.04%)
WATCHED TELEVISION 3 OR MORE HOURS PER DAY	37.42%	39.41%	(31.92%-47.43%)	36.19%	(25.00%-49.11%)	31.88%	(24.67%-40.07%)
PLAYED VIDEO OR COMPUTER GAMES OR USED A COMPUTER 3 OR MORE HOURS PER DAY	46.08%	48.87%	(42.51%-55.27%)	51.71%	(39.71%-63.51%)	32.06%**	(23.53%-41.99%)
PLAYED ON AT LEAST ONE SPORTS TEAM	56.99%	59.44%	(53.89%-64.76%)	48.92%	(38.81%-59.12%)	54.65%	(44.41%-64.51%)
HAD EVER BEEN TOLD BY A DOCTOR OR NURSE THAT THEY HAD ASTHMA	21.96%	24.36%+	(19.54%-29.94%)	15.24%	(8.49%-25.84%)	18.50%	(11.04%-29.35%)

*** p<.001 ** p<.05 * p<.01 +p<.1

CHICAGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

CHICAGO — WEAPONS AND FIGHTING AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
CARRIED A WEAPON	9.74%	8.61%*	(5.67%-12.87%)	15.04%+	(8.79%-24.54%)	13.59%	(5.71%-28.98%)
CARRIED A GUN	3.00%	2.68%	(1.37%-5.17%)	1.84%	(0.45%-7.22%)	10.29%*	(3.70%-25.53%)
CARRIED A WEAPON ON SCHOOL PROPERTY	3.40%	2.68%*	(1.44%-4.94%)	4.32%	(1.58%-11.25%)	11.47%**	(4.44%-26.55%)
DID NOT GO TO SCHOOL BECAUSE THEY FELT UNSAFE	11.29%	11.82%	(9.03%-15.33%)	4.34%*	(1.81%-10.05%)	19.88%+	(9.93%-35.85%)
WERE THREATENED OR INJURED WITH A WEAPON ON SCHOOL PROPERTY	7.82%	7.73%	(4.90%-11.99%)	3.85%+	(1.48%-9.66%)	18.18%*	(9.26%-32.59%)
WERE IN A PHYSICAL FIGHT	6.51%	6.04%	(3.84%-9.39%)	9.04%	(4.91%-16.07%)	7.34%	(2.38%-20.47%)
WERE INJURED IN A PHYSICAL FIGHT	12.55%	11.64%	(8.00%-16.64%)	16.12%	(10.21%-24.51%)	17.37%	(9.09%-30.66%)
WERE IN A PHYSICAL FIGHT ON SCHOOL PROPERTY	---	---	---	---	---	---	---

CHICAGO — DATING AND SEXUAL VIOLENCE AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
WERE EVER PHYSICALLY FORCED TO HAVE SEXUAL INTERCOURSE	8.38%	7.54%*	(5.73%-9.88%)	13.50%*	(8.69%-20.38%)	8.28%	(3.32%-19.20%)
EXPERIENCED PHYSICAL DATING VIOLENCE	13.80%	13.58%	(10.52%-17.35%)	16.36%	(9.13%-27.59%)	11.25%	(3.94%-28.16%)
EXPERIENCED SEXUAL DATING VIOLENCE	9.93%	9.15%	(6.36%-12.99%)	14.42%	(8.57%-23.24%)	11.04%	(3.38%-30.57%)

*** p<.001 ** p<.05 * p<.01 +p<.1

CHICAGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

CHICAGO — BULLYING, TEASING, HARASSMENT, AND SCHOOL PERFORMANCE AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
WERE BULLIED ON SCHOOL PROPERTY	13.08%	11.24%**	(9.10%-13.82%)	20.04%*	(13.46%-28.75%)	23.63%	(11.05%-43.51%)
WERE ELECTRONICALLY BULLIED	11.83%	11.20%	(8.81%-14.15%)	18.61%*	(12.02%-27.67%)	4.86%	(1.19%-17.80%)
TEASED FOR BEING GAY	---	---	---	---	---	---	---
HARASSED FOR BEING GAY	9.72%	9.35%	(6.26%-13.74%)	13.43%	(8.27%-21.07%)	6.13%	(1.56%-21.22%)
TEASED OR HARASSED FOR BEING GAY	9.72%	9.35%	(6.26%-13.74%)	13.43%	(8.27%-21.07%)	6.13%	(1.56%-21.22%)
GET MOSTLY AS AND BS	---	---	---	---	---	---	---

CHICAGO — SADNESS AND SUICIDE AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
FELT SAD OR HOPELESS	41.01%	41.01%	(35.35%-46.35%)	47.10%	(38.07%-56.33%)	30.13%+	(19.39%-43.61%)
SERIOUSLY CONSIDERED ATTEMPTING SUICIDE	19.28%	19.28%	(15.22%-22.94%)	27.96%*	(20.67%-36.62%)	6.22%*	(2.03%-17.51%)
MADE A PLAN ABOUT HOW THEY WOULD ATTEMPT SUICIDE	14.86%	14.86%	(11.24%-17.70%)	19.20%	(12.97%-27.49%)	14.62%	(7.55%-26.44%)
ATTEMPTED SUICIDE	11.58%	11.58%	(8.92%-14.16%)	14.79%	(8.83%-23.73%)	8.11%	(2.51%-23.24%)
NONSUICIDE SELF-INJURY	24.96%	24.96%	(19.37%-28.03%)	32.62%	(23.34%-43.50%)	29.62%	(20.35%-40.94%)

*** p<.001 ** p<.05 * p<.01 +p<.1

CHICAGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

CHICAGO — OTHER UNINTENTIONAL INJURY RISK BEHAVIORS AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
RARELY OR NEVER WORE A SEAT BELT	11.55%	11.46%	(8.70%-14.96%)	11.92%	(7.06%-19.43%)	11.89%	(5.11%-25.29%)
RODE WITH A DRIVER WHO HAD BEEN DRINKING ALCOHOL	29.62%	30.21%	(26.30%-34.43%)	28.28%	(21.09%-36.79%)	24.31%	(14.48%-37.84%)

CHICAGO — TOBACCO USE AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
EVER TRIED CIGARETTE SMOKING	42.48%	41.54%	(35.32%-48.04%)	48.52%	(39.38%-57.76%)	41.56%	(27.48%-57.16%)
SMOKED A WHOLE CIGARETTE BEFORE AGE 13 YEARS	9.12%	9.00%	(6.13%-13.03%)	6.88%	(3.83%-12.05%)	16.22%	(7.40%-31.93%)
CURRENTLY SMOKED CIGARETTES	7.82%	7.27%	(5.18%-10.12%)	9.38%	(4.94%-17.08%)	12.10%	(4.92%-26.81%)
SMOKED AT SCHOOL	2.67%	2.63%	(1.45%-4.71%)	0.78%	(0.11%-5.54%)	7.90%+	(2.50%-22.29%)
CURRENTLY USE SMOKELESS TOBACCO	2.97%	2.82%	(1.63%-4.84%)	2.85%	(0.93%-8.39%)	5.40%	(1.28%-20.05%)
CURRENTLY SMOKED CIGARS	6.23%	6.35%	(4.19%-9.53%)	4.76%	(2.14%-10.28%)	7.95%	(2.49%-22.57%)

CHICAGO — ALCOHOL USE AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
EVER DRANK ALCOHOL	74.43%	73.66%	(68.64%-78.13%)	82.23%+	(74.50%-88.00%)	67.29%	(51.85%-79.72%)
DRANK ALCOHOL BEFORE AGE 13 YEARS	16.44%	16.31%	(12.81%-20.53%)	19.97%	(12.01%-31.32%)	9.82%	(3.41%-25.15%)
USUALLY OBTAINED THE ALCOHOL THEY DRANK BY SOMEONE GIVING IT TO THEM	38.61%	38.48%	(32.32%-45.02%)	40.27%	(21.91%-61.83%)	32.77%	(8.74%-71.26%)

*** p<.001 ** p<.05 * p<.01 +p<.1

CHICAGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

CHICAGO— OTHER DRUG USE AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
TRIED MARIJUANA BEFORE AGE 13 YEARS	9.52%	9.94%	(6.80%-14.31%)	6.28%	(2.88%-13.14%)	10.94%	(4.64%-23.67%)
CURRENTLY USED MARIJUANA	25.29%	25.23%	(21.19%-29.74%)	29.68%	(19.55%-42.30%)	15.21%+	(8.27%-26.29%)
EVER USED COCAINE	3.88%	3.81%	(2.44%-5.90%)	2.71%	(1.00%-7.17%)	7.68%	(2.38%-22.07%)
EVER USED INHALANTS	9.07%	8.50%	(6.59%-10.91%)	11.90%	(5.71%-23.17%)	10.64%	(3.88%-25.97%)
EVER USED HEROIN	1.73%	1.65%	(0.80%-3.39%)	0.62%	(0.09%-4.32%)	5.49%+	(1.31%-20.34%)
EVER USED METHAMPHETAMINES	2.48%	2.39%	(1.23%-4.58%)	0.80%	(0.11%-5.59%)	7.90%*	(2.50%-22.25%)
EVER USED ECSTASY	4.21%	3.89%	(2.57%-5.85%)	4.46%	(1.69%-11.27%)	8.32%	(2.58%-23.74%)
EVER USED SYNTHETIC CANNABINOIDS	---	---	---	---	---	---	---
EVER TOOK STEROIDS WITHOUT A DOCTOR'S PRESCRIPTION	2.29%	2.09%	(1.14%-3.83%)	3.43%	(1.14%-9.89%)	2.47%	(0.32%-16.42%)
EVER TOOK PRESCRIPTION DRUGS WITHOUT A DOCTOR'S PRESCRIPTION	8.15%	8.55%	(6.67%-10.89%)	6.10%	(2.83%-12.64%)	7.29%	(2.27%-21.08%)
EVER INJECTED ANY ILLEGAL DRUG	1.58%	1.35%	(0.65%-2.76%)	2.66%	(0.62%-10.74%)	2.39%	(0.31%-15.96%)
EVER USED ILLEGAL DRUGS AT SCHOOL	28.73%	28.37%	(24.73%-32.33%)	32.28%	(24.39%-41.33%)	25.45%	(14.43%-40.85%)
EVER USED ANY HARD DRUGS	13.91%	13.66%	(11.15%-16.62%)	14.75%	(8.16%-25.20%)	15.59%	(6.97%-31.30%)

*** p<.001 ** p<.05 * p<.01 +p<.1

CHICAGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

CHICAGO — SEXUAL BEHAVIOR AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
EVER HAD SEXUAL INTERCOURSE	44.41%	43.90%	(37.65%-50.36%)	48.47%	(39.30%-57.74%)	42.42%	(27.85%-58.43%)
HAD SEXUAL INTERCOURSE BEFORE AGE 13 YEARS	2.92%	2.38%+	(1.59%-3.53%)	4.11%	(1.49%-10.84%)	8.17%	(2.02%-27.77%)
HAD SEXUAL INTERCOURSE WITH FOUR OR MORE PERSONS	7.18%	6.64%	(4.63%-9.43%)	8.96%	(4.25%-17.94%)	11.06%	(4.25%-25.84%)
WERE CURRENTLY SEXUALLY ACTIVE	32.78%	32.76%	(26.88%-39.24%)	33.70%	(24.77%-43.96%)	30.89%	(21.03%-42.87%)

CHICAGO — HIV TESTING AND INFORMATION AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
WERE EVER TESTED FOR HIV	23.95%	23.49%	(18.28%-29.64%)	25.86%	(17.75%-36.05%)	26.15%	(16.33%-39.12%)
EVER TAUGHT ABOUT HIV IN SCHOOL	78.13%	79.81%**	(75.16%-83.78%)	74.26%	(64.95%-81.79%)	63.27%*	(46.18%-77.57%)

CHICAGO — WEIGHT AND WEIGHT MANAGEMENT AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
OVERWEIGHT OR OBESE	31.21%	30.01%	(26.08%-34.26%)	36.83%	(26.09%-49.06%)	35.41%	(23.61%-49.31%)
TRIED TO LOSE WEIGHT	55.12%	54.12%	(50.07%-58.13%)	62.38%	(50.43%-72.99%)	52.62%	(39.20%-65.67%)
NOT EAT, USE DIET PRODUCTS OR VOMIT TO LOSE WEIGHT	23.54%	23.18%	(19.28%-27.60%)	30.35%+	(23.33%-38.43%)	12.80%+	(5.59%-26.67%)

*** p<.001 ** p<.05 * p<.01 +p<.1

CHICAGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

CHICAGO — PHYSICAL ACTIVITY AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
WERE PHYSICALLY ACTIVE AT LEAST 60 MINUTES PER DAY ON 5 OR MORE DAYS	29.47%	28.29%	(24.08%-32.91%)	38.92%*	(29.36%-49.41%)	24.39%	(14.63%-37.77%)
WATCHED TELEVISION 3 OR MORE HOURS PER DAY	35.77%	34.98%	(29.43%-40.97%)	36.44%	(27.17%-46.85%)	45.40%	(29.80%-61.95%)
PLAYED VIDEO OR COMPUTER GAMES OR USED A COMPUTER 3 OR MORE HOURS PER DAY	43.51%	41.79%	(37.44%-46.28%)	50.32%	(39.37%-61.24%)	51.99%	(39.06%-64.66%)
PLAYED ON AT LEAST ONE SPORTS TEAM	44.03%	41.95%**	(36.65%-47.45%)	48.62%	(41.11%-56.19%)	63.17%**	(49.40%-75.09%)
HAD EVER BEEN TOLD BY A DOCTOR OR NURSE THAT THEY HAD ASTHMA	21.48%	21.26%	(18.27%-24.59%)	23.11%	(16.35%-31.60%)	20.87%	(10.81%-36.45%)

LOS ANGELES — WEAPONS AND FIGHTING AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
CARRIED A WEAPON	4.35%	3.73%+	(2.53%-5.47%)	8.09%	(3.64%-17.01%)	10.31%	(3.60%-26.13%)
CARRIED A GUN	0.83%	0.54%+	(0.21%-1.37%)	2.57%+	(0.66%-9.58%)	3.61%	(0.43%-24.35%)
CARRIED A WEAPON ON SCHOOL PROPERTY	0.72%	0.59%	(0.19%-1.82%)	0.00%	(.%-.)	7.83%**	(2.14%-24.80%)
DID NOT GO TO SCHOOL BECAUSE THEY FELT UNSAFE	6.42%	5.91%+	(4.30%-8.05%)	10.22%+	(6.01%-16.85%)	8.29%	(2.47%-24.44%)
WERE THREATENED OR INJURED WITH A WEAPON ON SCHOOL PROPERTY	4.02%	3.71%	(2.20%-6.19%)	5.84%	(2.67%-12.29%)	7.16%	(1.60%-26.77%)
WERE IN A PHYSICAL FIGHT	18.10%	17.92%	(14.96%-21.31%)	18.00%	(10.87%-28.32%)	24.30%	(11.81%-43.50%)
WERE INJURED IN A PHYSICAL FIGHT	1.69%	1.57%	(0.92%-2.67%)	2.21%	(0.71%-6.69%)	3.61%	(0.43%-24.35%)
WERE IN A PHYSICAL FIGHT ON SCHOOL PROPERTY	5.88%	5.86%	(4.07%-8.36%)	6.58%	(3.35%-12.53%)	3.76%	(0.45%-25.33%)

*** p<.001 ** p<.05 * p<.01 +p<.1

LOS ANGELES GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

LOS ANGELES — WEAPONS AND FIGHTING AMONG MALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
CARRIED A WEAPON	12.94%	14.25%+	(10.92%-18.38%)	10.83%	(5.98%-18.82%)	7.62%+	(3.80%-14.70%)
CARRIED A GUN	4.55%	4.89%	(2.92%-8.08%)	5.02%	(1.53%-15.25%)	2.51%	(0.66%-9.05%)
CARRIED A WEAPON ON SCHOOL PROPERTY	2.94%	3.02%	(1.96%-4.63%)	3.86%	(1.28%-11.05%)	1.97%	(0.29%-12.17%)
DID NOT GO TO SCHOOL BECAUSE THEY FELT UNSAFE	5.02%	3.87%**	(2.38%-6.22%)	3.36%	(0.80%-13.13%)	11.92%***	(7.74%-17.93%)
WERE THREATENED OR INJURED WITH A WEAPON ON SCHOOL PROPERTY	6.01%	4.90%+	(3.58%-6.66%)	6.93%	(3.07%-14.89%)	11.02%+	(4.23%-25.78%)
WERE IN A PHYSICAL FIGHT	25.88%	25.61%	(20.99%-30.85%)	24.51%	(14.45%-38.43%)	28.22%	(17.59%-42.01%)
WERE INJURED IN A PHYSICAL FIGHT	3.24%	2.54%	(1.27%-5.00%)	4.08%	(1.51%-10.58%)	6.30%	(2.59%-14.55%)
WERE IN A PHYSICAL FIGHT ON SCHOOL PROPERTY	10.99%	10.42%	(7.89%-13.64%)	9.89%	(5.40%-17.45%)	14.71%	(7.37%-27.23%)

LOS ANGELES — DATING AND SEXUAL VIOLENCE AMONG MALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
WERE EVER PHYSICALLY FORCED TO HAVE SEXUAL INTERCOURSE	6.19%	3.57%**	(2.17%-5.82%)	9.10%	(4.20%-18.62%)	17.66%**	(8.35%-33.55%)
EXPERIENCED PHYSICAL DATING VIOLENCE	6.86%	5.18%**	(3.59%-7.43%)	10.03%	(3.95%-23.23%)	13.26%+	(6.22%-26.07%)
EXPERIENCED SEXUAL DATING VIOLENCE	6.90%	6.91%	(4.91%-9.63%)	6.25%	(1.74%-20.07%)	7.33%	(3.51%-14.68%)

*** p<.001 ** p<.05 * p<.01 +p<.1

LOS ANGELES GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

LOS ANGELES — BULLYING, TEASING, HARASSMENT, AND SCHOOL PERFORMANCE AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
WERE BULLIED ON SCHOOL PROPERTY	11.67%	10.25%	(7.07%-14.63%)	13.53%	(7.45%-23.34%)	17.79%	(9.47%-30.92%)
WERE ELECTRONICALLY BULLIED	6.55%	4.91%**	(3.16%-7.55%)	16.32%**	(9.31%-27.04%)	8.53%	(3.88%-17.74%)
TEASED FOR BEING GAY	8.75%	6.73%**	(4.68%-9.61%)	16.51%*	(8.95%-28.48%)	14.01%*	(7.81%-23.88%)
TEASED OR HARASSED FOR BEING GAY	8.75%	6.73%**	(4.68%-9.61%)	16.51%*	(8.95%-28.48%)	14.01%*	(7.81%-23.88%)
GET MOSTLY AS AND BS AND BS	---	---	---	---	---	---	---

LOS ANGELES — SADNESS AND SUICIDE AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
FELT SAD OR HOPELESS	18.91%	17.15%*	(14.31%-20.42%)	30.72%*	(20.41%-43.39%)	20.25%	(13.06%-30.02%)
SERIOUSLY CONSIDERED ATTEMPTING SUICIDE	7.87%	7.58%	(5.60%-10.19%)	10.07%	(5.94%-16.56%)	7.88%	(3.22%-18.05%)
MADE A PLAN ABOUT HOW THEY WOULD ATTEMPT SUICIDE	8.08%	6.86%+	(4.62%-10.05%)	15.20%	(6.01%-33.43%)	9.68%	(4.82%-18.48%)
ATTEMPTED SUICIDE	5.39%	4.08%*	(2.49%-6.62%)	10.37%	(3.61%-26.31%)	9.41%*	(4.87%-17.42%)
NONSUICIDE SELF-INJURY	10.46%	8.62%*	(6.07%-12.09%)	18.57%*	(11.58%-28.42%)	14.55%	(9.24%-22.17%)

LOS ANGELES — OTHER UNINTENTIONAL INJURY RISK BEHAVIORS AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
RARELY OR NEVER WORE A SEAT BELT	5.43%	4.02%**	(2.63%-6.12%)	7.52%	(3.11%-17.10%)	11.37%***	(7.03%-17.87%)
RODE WITH A DRIVER WHO HAD BEEN DRINKING ALCOHOL	19.83%	17.60%*	(14.52%-21.17%)	21.17%	(11.60%-35.48%)	30.19%*	(20.28%-42.37%)

*** p<.001 ** p<.05 * p<.01 +p<.1

LOS ANGELES GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

LOS ANGELES — TOBACCO USE AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
EVER TRIED CIGARETTE SMOKING	35.47%	32.69%**	(28.16%–37.57%)	43.20%	(33.49%–53.46%)	44.69%*	(34.24%–55.64%)
SMOKED A WHOLE CIGARETTE BEFORE AGE 13 YEARS	8.70%	8.10%	(5.24%–12.33%)	8.16%	(3.60%–17.46%)	12.42%	(7.18%–20.64%)
CURRENTLY SMOKED CIGARETTES	6.83%	7.65%	(5.29%–10.95%)	1.94%+	(0.49%–7.31%)	5.78%	(2.25%–14.04%)
SMOKED AT SCHOOL	1.06%	1.24%	(0.67%–2.31%)	1.16%	(0.16%–7.99%)	0.00%	(.%–.%)
CURRENTLY USE SMOKELESS TOBACCO	2.43%	1.18%***	(0.59%–2.36%)	2.17%	(0.56%–7.97%)	9.07%***	(5.37%–14.92%)
CURRENTLY SMOKED CIGARS	7.22%	6.99%	(4.88%–9.90%)	4.64%	(1.53%–13.22%)	10.13%	(6.11%–16.35%)

LOS ANGELES — ALCOHOL USE AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
EVER DRANK ALCOHOL	56.82%	57.02%	(51.01%–62.83%)	58.97%	(48.14%–68.99%)	54.14%	(40.06%–67.58%)
DRANK ALCOHOL BEFORE AGE 13 YEARS	18.78%	17.35%+	(14.57%–20.53%)	25.52%+	(17.61%–35.46%)	21.50%	(14.15%–31.27%)
USUALLY OBTAINED THE ALCOHOL THEY DRANK BY SOMEONE GIVING IT TO THEM	27.84%	29.77%	(18.58%–44.06%)	12.28%*	(4.66%–28.62%)	34.38%	(16.77%–57.67%)

*** p<.001 ** p<.05 * p<.01 +p<.1

LOS ANGELES GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

LOS ANGELES — OTHER DRUG USE AMONG MALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
TRIED MARIJUANA BEFORE AGE 13 YEARS	9.78%	10.11%	(7.03%-14.32%)	6.66%	(2.61%-15.98%)	10.12%	(5.45%-18.02%)
CURRENTLY USED MARIJUANA	20.15%	20.34%	(15.79%-25.81%)	23.09%	(11.42%-41.15%)	17.05%	(10.18%-27.14%)
EVER USED COCAINE	7.55%	7.01%	(5.00%-9.73%)	8.65%	(3.50%-19.82%)	9.62%	(5.31%-16.83%)
EVER USED INHALANTS	8.45%	7.62%	(5.54%-10.39%)	14.28%	(6.55%-28.35%)	8.90%	(4.45%-16.98%)
EVER USED HEROIN	4.02%	2.94%+	(1.86%-4.64%)	3.29%	(0.75%-13.35%)	9.92%**	(4.24%-21.50%)
EVER USED METHAMPHETAMINES	6.41%	5.83%	(3.56%-9.39%)	6.67%	(2.50%-16.61%)	9.24%	(3.96%-20.07%)
EVER USED ECSTASY	10.43%	9.96%	(6.96%-14.05%)	14.38%	(7.14%-26.84%)	10.28%	(5.24%-19.19%)
EVER USED SYNTHETIC CANNABINOIDS	---	---	---	---	---	---	---
EVER TOOK STEROIDS WITHOUT A DOCTOR'S PRESCRIPTION	3.78%	2.12%*	(1.16%-3.86%)	6.05%	(2.29%-15.02%)	10.72%**	(4.29%-24.37%)
EVER TOOK PRESCRIPTION DRUGS WITHOUT A DOCTOR'S PRESCRIPTION	12.05%	11.37%	(8.26%-15.47%)	13.84%	(6.77%-26.22%)	14.31%	(8.47%-23.16%)
EVER INJECTED ANY ILLEGAL DRUG	3.24%	2.69%	(1.46%-4.88%)	1.56%	(0.19%-11.84%)	7.20%+	(3.11%-15.82%)
EVER USED ILLEGAL DRUGS AT SCHOOL	31.91%	32.58%	(28.76%-36.64%)	29.49%	(21.01%-39.67%)	30.03%	(19.69%-42.90%)
EVER USED ANY HARD DRUGS	18.71%	18.31%	(14.37%-23.04%)	21.97%	(11.58%-37.72%)	18.59%*	(9.90%-32.18%)

*** p<.001 ** p<.05 * p<.01 +p<.1

LOS ANGELES GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

LOS ANGELES — SEXUAL BEHAVIOR AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
EVER HAD SEXUAL INTERCOURSE	37.69%	37.38%	(30.51%-44.81%)	38.42%	(26.77%-51.57%)	39.32%	(26.16%-54.23%)
HAD SEXUAL INTERCOURSE BEFORE AGE 13 YEARS	5.69%	5.84%	(3.75%-8.98%)	0.00%	(.-%-.)	10.02%	(3.98%-23.04%)
HAD SEXUAL INTERCOURSE WITH FOUR OR MORE PERSONS	10.68%	9.94%	(7.13%-13.71%)	15.65%	(8.11%-28.07%)	11.43%	(6.37%-19.66%)
WERE CURRENTLY SEXUALLY ACTIVE	20.55%	19.14%+	(15.34%-23.63%)	27.40%	(16.80%-41.37%)	24.47%	(15.98%-35.55%)

LOS ANGELES — HIV TESTING AND INFORMATION AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
WERE EVER TESTED FOR HIV	15.21%	13.57%+	(11.13%-16.44%)	16.94%	(9.67%-27.97%)	22.85%+	(14.68%-33.76%)
EVER TAUGHT ABOUT HIV IN SCHOOL	78.47%	81.13%*	(76.52%-85.02%)	88.81%*	(79.93%-94.05%)	56.35%***	(44.78%-67.27%)

LOS ANGELES — WEIGHT AND WEIGHT MANAGEMENT AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
OVERWEIGHT OR OBESE	31.72%	34.19%+	(28.45%-40.45%)	39.65%	(26.30%-54.75%)	13.71%**	(7.07%-24.92%)
TRIED TO LOSE WEIGHT	42.22%	41.59%	(36.80%-46.54%)	39.65%	(28.53%-51.96%)	47.26%	(37.29%-57.45%)
NOT EAT, USE DIET PRODUCTS OR VOMIT TO LOSE WEIGHT	10.93%	8.07%**	(5.62%-11.44%)	14.93%	(8.60%-24.66%)	23.05%**	(13.97%-35.59%)

*** p<.001 ** p<.05 * p<.01 +p<.1

LOS ANGELES GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

LOS ANGELES — PHYSICAL ACTIVITY AMONG MALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
WERE PHYSICALLY ACTIVE AT LEAST 60 MINUTES PER DAY ON 5 OR MORE DAYS	50.54%	55.44%***	(49.28%-61.43%)	42.41%	(32.43%-53.05%)	29.86%**	(20.11%-41.85%)
WATCHED TELEVISION 3 OR MORE HOURS PER DAY	33.68%	35.16%	(30.46%-40.17%)	32.28%	(21.88%-44.79%)	26.68%*	(21.23%-32.94%)
PLAYED VIDEO OR COMPUTER GAMES OR USED A COMPUTER 3 OR MORE HOURS PER DAY	36.10%	36.86%	(33.61%-40.24%)	43.76%	(31.03%-57.38%)	26.99%+	(19.29%-36.36%)
PLAYED ON AT LEAST ONE SPORTS TEAM	54.23%	55.53%	(51.08%-59.89%)	49.10%	(37.98%-60.31%)	50.79%	(40.94%-60.59%)
HAD EVER BEEN TOLD BY A DOCTOR OR NURSE THAT THEY HAD ASTHMA	20.21%	20.05%	(16.01%-24.81%)	26.59%	(16.47%-39.96%)	16.78%	(9.51%-27.90%)

*** p<.001 ** p<.05 * p<.01 +p<.1

LOS ANGELES GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

LOS ANGELES — DATING AND SEXUAL VIOLENCE AMONG FEMALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
WERE EVER PHYSICALLY FORCED TO HAVE SEXUAL INTERCOURSE	9.68%	9.36%	(6.85%-12.68%)	9.62%	(5.89%-15.32%)	20.07%	(7.81%-42.68%)
EXPERIENCED PHYSICAL DATING VIOLENCE	7.60%	7.88%	(4.94%-12.33%)	4.09%	(0.91%-16.52%)	10.92%	(2.37%-38.19%)
EXPERIENCED SEXUAL DATING VIOLENCE	15.60%	15.63%	(12.74%-19.03%)	14.98%	(7.94%-26.45%)	16.89%	(4.55%-46.39%)

LOS ANGELES — BULLYING, TEASING, HARASSMENT, AND SCHOOL PERFORMANCE AMONG FEMALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
WERE BULLIED ON SCHOOL PROPERTY	16.80%	16.42%	(13.52%-19.79%)	18.34%	(11.81%-27.36%)	23.49%	(9.15%-48.36%)
WERE ELECTRONICALLY BULLIED	9.44%	8.85%	(6.28%-12.33%)	13.86%	(7.51%-24.18%)	11.57%	(3.33%-33.16%)
TEASED FOR BEING GAY	9.63%	9.13%	(6.60%-12.50%)	11.08%	(5.76%-20.27%)	20.05% *	(8.66%-39.89%)
HARASSED FOR BEING GAY	---	---	---	---	---	---	---
TEASED OR HARASSED FOR BEING GAY	9.63%	9.13%	(6.60%-12.50%)	11.08%	(5.76%-20.27%)	20.05%	(8.66%-39.89%)
GET MOSTLY AS AND BS	---	---	---	---	---	---	---

*** p<.001 ** p<.05 * p<.01 +p<.1

LOS ANGELES GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

LOS ANGELES — SADNESS AND SUICIDE AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
FELT SAD OR HOPELESS	37.84%	37.13%	(33.20%-41.23%)	45.56%	(34.01%-57.61%)	31.17%	(16.38%-51.13%)
SERIOUSLY CONSIDERED ATTEMPTING SUICIDE	17.96%	16.80%*	(13.24%-21.09%)	22.84%	(16.89%-30.14%)	36.62%*	(19.20%-58.42%)
MADE A PLAN ABOUT HOW THEY WOULD ATTEMPT SUICIDE	16.44%	15.10%*	(11.93%-18.92%)	20.58%	(12.49%-32.00%)	43.80%**	(23.26%-66.71%)
ATTEMPTED SUICIDE	10.91%	10.39%	(7.30%-14.57%)	14.13%	(7.28%-25.63%)	15.81%	(5.86%-36.16%)
NONSUICIDE SELF-INJURY	21.15%	20.18%	(16.76%-24.10%)	27.00%	(17.41%-39.35%)	29.93%	(14.43%-51.96%)

LOS ANGELES — OTHER UNINTENTIONAL INJURY RISK BEHAVIORS AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
RARELY OR NEVER WORE A SEAT BELT	4.31%	4.25%	(2.55%-7.00%)	1.31%	(0.19%-8.68%)	17.68%*	(6.48%-39.98%)
RODE WITH A DRIVER WHO HAD BEEN DRINKING ALCOHOL	23.88%	23.19%	(18.98%-28.01%)	28.29%	(21.05%-36.86%)	29.09%	(13.99%-50.86%)

*** p<.001 ** p<.05 * p<.01 +p<.1

LOS ANGELES GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

LOS ANGELES — TOBACCO USE AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
EVER TRIED CIGARETTE SMOKING	31.76%	30.62%*	(26.82%-34.71%)	36.87%	(26.83%-48.20%)	49.86%+	(31.41%-68.34%)
SMOKED A WHOLE CIGARETTE BEFORE AGE 13 YEARS	4.30%	4.33%	(2.98%-6.26%)	1.31%	(0.17%-9.28%)	15.83%*	(4.61%-42.25%)
CURRENTLY SMOKED CIGARETTES	6.66%	5.34%***	(3.77%-7.50%)	12.79%**	(7.02%-22.19%)	25.26%**	(10.14%-50.32%)
SMOKED AT SCHOOL	1.59%	1.06%**	(0.40%-2.75%)	4.13%*	(1.73%-9.53%)	9.11%*	(1.98%-33.18%)
CURRENTLY USE SMOKELESS TOBACCO	0.99%	0.85%	(0.36%-1.96%)	0.00%	(.%-.)	9.11%*	(1.98%-33.18%)
CURRENTLY SMOKED CIGARS	4.06%	3.43%*	(2.18%-5.37%)	6.15%	(2.71%-13.35%)	16.20%*	(5.31%-39.98%)

LOS ANGELES — ALCOHOL USE AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
EVER DRANK ALCOHOL	63.40%	63.56%	(59.86%-67.11%)	63.56%	(51.38%-74.22%)	56.66%	(38.81%-72.93%)
DRANK ALCOHOL BEFORE AGE 13 YEARS	17.20%	16.49%	(13.05%-20.62%)	21.18%	(11.63%-35.43%)	24.72%	(12.19%-43.73%)
USUALLY OBTAINED THE ALCOHOL THEY DRANK BY SOMEONE GIVING IT TO THEM	38.85%	38.98%	(33.26%-45.02%)	40.51%	(23.06%-60.74%)	26.65%	(5.73%-68.48%)

*** p<.001 ** p<.05 * p<.01 +p<.1

LOS ANGELES GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

LOS ANGELES — OTHER DRUG USE AMONG FEMALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
TRIED MARIJUANA BEFORE AGE 13 YEARS	8.77%	8.48%	(5.90%-12.05%)	9.94%	(5.07%-18.57%)	13.47%	(3.96%-37.03%)
CURRENTLY USED MARIJUANA	20.95%	20.54%	(15.85%-26.18%)	22.97%	(15.38%-32.87%)	26.76%	(10.52%-53.17%)
EVER USED COCAINE	5.28%	4.62%+	(3.37%-6.30%)	8.84%	(3.76%-19.38%)	12.84%	(3.83%-35.30%)
EVER USED INHALANTS	12.25%	10.68%***	(8.18%-13.83%)	21.37%*	(13.69%-31.78%)	28.91%*	(12.42%-53.82%)
EVER USED HEROIN	1.36%	0.86%***	(0.43%-1.71%)	3.55%+	(1.21%-10.01%)	8.93%+	(1.12%-45.95%)
EVER USED METHAMPHETAMINES	3.61%	3.43%	(2.38%-4.94%)	3.60%	(1.22%-10.17%)	9.28%	(2.10%-32.75%)
EVER USED ECSTASY	11.27%	10.51%	(7.92%-13.82%)	16.19%	(7.23%-32.35%)	17.03%	(5.91%-40.15%)
EVER USED SYNTHETIC CANNABINOIDS	---	---	---	---	---	---	---
EVER TOOK STEROIDS WITHOUT A DOCTOR'S PRESCRIPTION	2.37%	2.10%	(1.08%-4.06%)	3.81%	(1.37%-10.12%)	5.51%	(0.72%-31.85%)
EVER TOOK PRESCRIPTION DRUGS WITHOUT A DOCTOR'S PRESCRIPTION	9.28%	8.39%*	(5.92%-11.76%)	11.57%	(5.27%-23.51%)	29.11%**	(13.77%-51.35%)
EVER INJECTED ANY ILLEGAL DRUG	0.86%	0.68%	(0.31%-1.45%)	2.61%+	(0.70%-9.25%)	0.00%	(.%-.)
EVER USED ILLEGAL DRUGS AT SCHOOL	27.55%	27.35%	(23.33%-31.77%)	29.45%	(19.16%-42.36%)	27.03%	(11.58%-51.17%)
EVER USED ANY HARD DRUGS	19.73%	18.30%**	(14.45%-22.91%)	29.36%**	(20.82%-39.66%)	28.91%	(12.42%-53.82%)

*** p<.001 ** p<.05 * p<.01 +p<.1

LOS ANGELES GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

LOS ANGELES — SEXUAL BEHAVIOR AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
EVER HAD SEXUAL INTERCOURSE	28.38%	26.84%*	(21.92%–32.41%)	39.52%*	(26.41%–54.33%)	35.86%	(15.69%–62.68%)
HAD SEXUAL INTERCOURSE BEFORE AGE 13 YEARS	2.43%	2.01%+	(0.98%–4.07%)	3.84%	(1.22%–11.47%)	10.36%+	(2.43%–34.92%)
HAD SEXUAL INTERCOURSE WITH FOUR OR MORE PERSONS	4.81%	4.15%**	(2.83%–6.05%)	10.17%**	(5.03%–19.48%)	5.89%	(0.78%–33.16%)
WERE CURRENTLY SEXUALLY ACTIVE	18.20%	17.41%	(14.64%–20.57%)	23.61%	(14.36%–36.30%)	23.21%	(8.86%–48.47%)

LOS ANGELES — HIV TESTING AND INFORMATION AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
WERE EVER TESTED FOR HIV	14.71%	13.97%	(11.11%–17.42%)	21.49%	(12.53%–34.34%)	12.41%	(4.31%–30.86%)
EVER TAUGHT ABOUT HIV IN SCHOOL	81.09%	81.00%	(75.61%–85.42%)	84.16%	(74.53%–90.61%)	71.71%	(46.20%–88.21%)

LOS ANGELES — WEIGHT AND WEIGHT MANAGEMENT AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
OVERWEIGHT OR OBESE	41.37%	39.66%*	(36.09%–43.33%)	51.96%*	(43.15%–60.65%)	55.33%	(35.61%–73.50%)
TRIED TO LOSE WEIGHT	65.06%	65.49%	(61.97%–68.85%)	64.58%	(56.02%–72.29%)	52.87%	(30.67%–73.99%)
NOT EAT, USE DIET PRODUCTS OR VOMIT TO LOSE WEIGHT	19.07%	18.31%	(15.50%–21.49%)	25.01%	(16.90%–35.36%)	20.88%	(8.29%–43.53%)

*** p<.001 ** p<.05 * p<.01 +p<.1

LOS ANGELES GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

LOS ANGELES — PHYSICAL ACTIVITY AMONG FEMALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
WERE PHYSICALLY ACTIVE AT LEAST 60 MINUTES PER DAY ON 5 OR MORE DAYS	38.16%	38.21%	(32.87%-43.84%)	41.63%	(32.39%-51.49%)	23.87%	(10.56%-45.44%)
WATCHED TELEVISION 3 OR MORE HOURS PER DAY	33.78%	33.63%	(29.81%-37.69%)	34.44%	(27.18%-42.52%)	35.95%	(16.60%-61.28%)
PLAYED VIDEO OR COMPUTER GAMES OR USED A COMPUTER 3 OR MORE HOURS PER DAY	38.10%	36.81%+	(32.40%-41.46%)	46.95%+	(37.51%-56.61%)	46.89%	(31.03%-63.39%)
PLAYED ON AT LEAST ONE SPORTS TEAM	43.97%	44.21%	(39.15%-49.40%)	40.94%	(28.80%-54.30%)	47.58%	(28.38%-67.52%)
HAD EVER BEEN TOLD BY A DOCTOR OR NURSE THAT THEY HAD ASTHMA	18.60%	17.93%	(14.61%-21.81%)	22.28%	(13.54%-34.43%)	25.97%	(11.20%-49.37%)

*** p<.001 ** p<.05 * p<.01 +p<.1

SAN DIEGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

SAN DIEGO — WEAPONS AND FIGHTING AMONG MALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
CARRIED A WEAPON	16.92%	16.89%	(14.82%-19.18%)	13.33%	(8.83%-19.63%)	21.38%	(15.73%-28.38%)
CARRIED A GUN	4.44%	4.15%	(3.14%-5.47%)	1.38%*	(0.39%-4.73%)	10.60%***	(7.20%-15.34%)
CARRIED A WEAPON ON SCHOOL PROPERTY	4.46%	3.98%+	(2.98%-5.31%)	4.27%	(1.80%-9.76%)	9.14%**	(5.79%-14.15%)
DID NOT GO TO SCHOOL BECAUSE THEY FELT UNSAFE	4.14%	3.01%***	(2.13%-4.24%)	6.55%	(3.42%-12.17%)	11.82%***	(7.31%-18.57%)
WERE THREATENED OR INJURED WITH A WEAPON ON SCHOOL PROPERTY	6.17%	5.25%**	(3.96%-6.92%)	7.06%	(3.38%-14.17%)	13.63%***	(9.74%-18.76%)
WERE IN A PHYSICAL FIGHT	27.10%	26.77%	(23.69%-30.09%)	24.33%	(18.25%-31.65%)	33.41%+	(26.46%-41.18%)
WERE INJURED IN A PHYSICAL FIGHT	3.49%	3.13%	(2.15%-4.53%)	1.17%+	(0.32%-4.18%)	9.51%***	(5.71%-15.42%)
WERE IN A PHYSICAL FIGHT ON SCHOOL PROPERTY	9.54%	8.86%+	(7.33%-10.66%)	4.98%*	(2.46%-9.84%)	21.02%***	(15.17%-28.37%)

SAN DIEGO — DATING AND SEXUAL VIOLENCE AMONG MALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
WERE EVER PHYSICALLY FORCED TO HAVE SEXUAL INTERCOURSE	5.96%	4.93%**	(3.77%-6.44%)	8.46%	(5.37%-13.08%)	12.83%**	(8.04%-19.86%)
EXPERIENCED PHYSICAL DATING VIOLENCE	6.24%	5.56%+	(3.96%-7.76%)	6.69%	(3.22%-13.37%)	12.11%*	(6.51%-21.41%)
EXPERIENCED SEXUAL DATING VIOLENCE	6.15%	4.89%**	(3.56%-6.67%)	10.63%*	(6.32%-17.34%)	12.99%*	(6.91%-23.11%)

*** p<.001 ** p<.05 * p<.01 +p<.1

SAN DIEGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

SAN DIEGO — BULLYING, TEASING, HARASSMENT, AND SCHOOL PERFORMANCE AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
WERE BULLIED ON SCHOOL PROPERTY	13.78%	11.97%***	(10.35%-13.80%)	21.77%***	(17.17%-27.19%)	21.70%**	(15.57%-29.40%)
WERE ELECTRONICALLY BULLIED	10.57%	8.84%***	(7.10%-10.95%)	14.29%	(9.28%-21.38%)	22.63%***	(16.83%-29.70%)
TEASED FOR BEING GAY	11.59%	7.83%***	(6.49%-9.43%)	29.26%***	(22.56%-36.98%)	26.14%***	(20.34%-32.90%)
TEASED OR HARASSED FOR BEING GAY	11.59%	7.83%***	(6.49%-9.43%)	29.26%***	(22.56%-36.98%)	26.14%***	(20.34%-32.90%)
GET MOSTLY AS AND BS AND BS	70.73%	72.90%**	(68.37%-76.99%)	63.14%+	(52.07%-72.98%)	63.47%*	(56.54%-69.88%)

SAN DIEGO — SADNESS AND SUICIDE AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
FELT SAD OR HOPELESS	19.77%	17.30%***	(15.07%-19.79%)	29.39%***	(23.34%-36.27%)	31.79%***	(24.41%-40.22%)
SERIOUSLY CONSIDERED ATTEMPTING SUICIDE	11.76%	10.11%***	(8.48%-12.02%)	19.13%**	(13.61%-26.21%)	18.82%**	(13.18%-26.13%)
MADE A PLAN ABOUT HOW THEY WOULD ATTEMPT SUICIDE	10.25%	9.56%	(7.62%-11.95%)	14.05%	(6.85%-26.66%)	14.11%	(6.38%-28.36%)
ATTEMPTED SUICIDE	6.53%	4.88%***	(3.90%-6.10%)	10.99%*	(7.09%-16.64%)	18.13%***	(12.23%-26.03%)
NONSUICIDE SELF-INJURY	11.36%	9.51%***	(7.99%-11.29%)	18.78%**	(12.89%-26.54%)	19.95%**	(14.30%-27.12%)

SAN DIEGO — OTHER UNINTENTIONAL INJURY RISK BEHAVIORS AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
RARELY OR NEVER WORE A SEAT BELT	5.89%	4.61%***	(3.41%-6.22%)	7.09%	(3.93%-12.47%)	16.34%***	(11.68%-22.40%)
RODE WITH A DRIVER WHO HAD BEEN DRINKING ALCOHOL	19.02%	17.47%**	(15.35%-19.82%)	21.86%	(15.97%-29.18%)	30.12%***	(23.98%-37.07%)

*** p<.001 ** p<.05 * p<.01 +p<.1

SAN DIEGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

SAN DIEGO – TOBACCO USE AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
EVER TRIED CIGARETTE SMOKING	33.28%	33.09%	(30.03%–36.30%)	34.03%	(27.28%–41.50%)	34.22%	(27.60%–41.51%)
SMOKED A WHOLE CIGARETTE BEFORE AGE 13 YEARS	7.51%	6.79%**	(5.51%–8.34%)	6.65%	(3.72%–11.63%)	15.36%***	(10.80%–21.37%)
CURRENTLY SMOKED CIGARETTES	8.78%	7.98%*	(6.51%–9.73%)	11.52%	(7.18%–17.98%)	13.41%*	(8.70%–20.11%)
SMOKED AT SCHOOL	1.63%	1.39%	(0.73%–2.61%)	1.85%	(0.25%–12.57%)	4.62%	(1.25%–15.59%)
CURRENTLY USE SMOKELESS TOBACCO	4.47%	4.64%	(3.18%–6.74%)	0.00%	(.%–.%)	8.22%+	(4.00%–16.16%)
CURRENTLY SMOKED CIGARS	9.80%	9.78%	(7.54%–12.58%)	9.62%	(4.04%–21.21%)	10.43%	(5.20%–19.83%)

SAN DIEGO – ALCOHOL USE AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
EVER DRANK ALCOHOL	56.56%	56.80%	(53.17%–60.37%)	56.87%	(48.81%–64.58%)	53.75%	(45.87%–61.43%)
DRANK ALCOHOL BEFORE AGE 13 YEARS	17.15%	17.18%	(15.22%–19.33%)	12.63%	(7.55%–20.39%)	21.95%+	(17.28%–27.47%)
USUALLY OBTAINED THE ALCOHOL THEY DRANK BY SOMEONE GIVING IT TO THEM	30.04%	28.97%	(21.38%–37.96%)	24.78%	(9.85%–49.81%)	49.56%	(22.82%–76.57%)

*** p<.001 ** p<.05 * p<.01 +p<.1

SAN DIEGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

SAN DIEGO — OTHER DRUG USE AMONG MALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
TRIED MARIJUANA BEFORE AGE 13 YEARS	10.89%	10.40%	(8.52%–12.63%)	11.14%	(6.40%–18.69%)	15.40%+	(11.11%–20.97%)
CURRENTLY USED MARIJUANA	21.68%	22.14%	(19.42%–25.12%)	18.26%	(12.61%–25.68%)	21.33%	(16.05%–27.79%)
EVER USED COCAINE	8.58%	8.11%	(6.50%–10.06%)	7.83%	(4.55%–13.15%)	13.81%*	(9.72%–19.25%)
EVER USED INHALANTS	7.85%	6.56%***	(5.31%–8.08%)	11.38%+	(7.45%–17.00%)	15.84%***	(11.25%–21.85%)
EVER USED HEROIN	4.03%	2.91%*	(1.84%–4.56%)	3.85%	(1.45%–9.85%)	11.93%***	(6.96%–19.70%)
EVER USED METHAMPHETAMINES	4.83%	3.90%**	(2.98%–5.07%)	5.35%	(2.78%–10.05%)	13.03%***	(8.75%–18.96%)
EVER USED ECSTASY	9.58%	9.32%	(7.76%–11.15%)	6.61%	(3.60%–11.84%)	15.67%*	(10.69%–22.38%)
EVER USED SYNTHETIC CANNABINOIDS	9.85%	8.70%*	(7.01%–10.76%)	8.12%	(4.48%–14.28%)	19.38%***	(13.88%–26.39%)
EVER TOOK STEROIDS WITHOUT A DOCTOR'S PRESCRIPTION	3.14%	2.50%***	(1.75%–3.56%)	2.62%	(0.99%–6.71%)	9.59%***	(6.65%–13.64%)
EVER TOOK PRESCRIPTION DRUGS WITHOUT A DOCTOR'S PRESCRIPTION	14.38%	14.23%	(12.42%–16.27%)	11.41%	(7.21%–17.59%)	19.13%*	(14.61%–24.63%)
EVER INJECTED ANY ILLEGAL DRUG	3.20%	2.60%*	(1.73%–3.88%)	4.00%	(1.69%–9.19%)	7.95%**	(4.27%–14.33%)
EVER USED ILLEGAL DRUGS AT SCHOOL	30.37%	30.08%	(27.34%–32.98%)	22.32%*	(16.12%–30.04%)	42.36%**	(34.83%–50.27%)
EVER USED ANY HARD DRUGS	18.32%	17.02%**	(14.87%–19.43%)	17.16%	(12.50%–23.10%)	31.48%***	(25.55%–38.07%)

*** p<.001 ** p<.05 * p<.01 +p<.1

SAN DIEGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

SAN DIEGO — SEXUAL BEHAVIOR AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
EVER HAD SEXUAL INTERCOURSE	37.08%	37.33%	(33.11%-41.74%)	33.55%	(26.80%-41.04%)	39.18%	(30.18%-48.99%)
HAD SEXUAL INTERCOURSE BEFORE AGE 13 YEARS	6.00%	5.84%	(4.47%-7.60%)	3.21%	(1.18%-8.44%)	11.56%*	(6.81%-18.94%)
HAD SEXUAL INTERCOURSE WITH FOUR OR MORE PERSONS	10.86%	10.89%	(8.98%-13.16%)	10.46%	(6.26%-16.98%)	11.03%	(6.66%-17.72%)
WERE CURRENTLY SEXUALLY ACTIVE	24.40%	24.93%	(21.55%-28.65%)	21.81%	(16.18%-28.72%)	21.95%	(15.60%-29.96%)

SAN DIEGO — HIV TESTING AND INFORMATION AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
WERE EVER TESTED FOR HIV	13.37%	12.04%**	(10.01%-14.42%)	16.99%	(11.76%-23.90%)	21.66%**	(16.15%-28.42%)
EVER TAUGHT ABOUT HIV IN SCHOOL	87.73%	89.87%***	(88.13%-91.38%)	83.42%*	(78.06%-87.68%)	72.53%***	(66.12%-78.13%)

SAN DIEGO — WEIGHT AND WEIGHT MANAGEMENT AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
OVERWEIGHT OR OBESE	25.75%	26.42%	(23.98%-29.02%)	24.41%	(18.61%-31.32%)	20.99%	(15.22%-28.21%)
TRIED TO LOSE WEIGHT	32.46%	31.50%+	(28.84%-34.29%)	32.36%	(25.02%-40.70%)	41.60%**	(34.03%-49.59%)
NOT EAT, USE DIET PRODUCTS OR VOMIT TO LOSE WEIGHT	10.03%	8.62%**	(6.25%-11.77%)	19.30%*	(10.45%-32.91%)	15.91%	(8.08%-28.94%)

*** p<.001 ** p<.05 * p<.01 +p<.1

SAN DIEGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

SAN DIEGO — PHYSICAL ACTIVITY AMONG MALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL MALES	MASCULINE MALES	95%CI	ANDROGYNOUS MALES	95%CI	FEMININE MALES	95%CI
WERE PHYSICALLY ACTIVE AT LEAST 60 MINUTES PER DAY ON 5 OR MORE DAYS	57.33%	61.42%***	(57.68%-65.02%)	47.25%**	(38.60%-56.08%)	30.93%***	(23.77%-39.15%)
WATCHED TELEVISION 3 OR MORE HOURS PER DAY	24.21%	23.91%	(21.16%-26.89%)	24.01%	(17.58%-31.87%)	27.38%	(20.79%-35.13%)
PLAYED VIDEO OR COMPUTER GAMES OR USED A COMPUTER 3 OR MORE HOURS PER DAY	41.06%	40.13%	(36.82%-43.54%)	48.19%*	(40.75%-55.71%)	41.55%	(32.47%-51.24%)
PLAYED ON AT LEAST ONE SPORTS TEAM	59.58%	62.37%***	(59.49%-65.17%)	46.84%***	(39.94%-53.88%)	47.67%**	(38.14%-57.39%)
HAD EVER BEEN TOLD BY A DOCTOR OR NURSE THAT THEY HAD ASTHMA	20.59%	20.78%	(18.54%-23.22%)	17.87%	(13.69%-22.98%)	21.89%	(16.60%-28.29%)

BROWARD — WEAPONS AND FIGHTING AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
CARRIED A WEAPON	6.65%	4.74%***	(3.69%-6.08%)	16.39%***	(10.38%-24.91%)	20.88%***	(12.55%-32.66%)
CARRIED A GUN	1.33%	0.63%***	(0.30%-1.32%)	3.52%*	(1.29%-9.20%)	9.92%***	(4.46%-20.62%)
CARRIED A WEAPON ON SCHOOL PROPERTY	2.01%	1.30%***	(0.83%-2.04%)	4.74%**	(2.36%-9.32%)	9.63%***	(4.39%-19.84%)
DID NOT GO TO SCHOOL BECAUSE THEY FELT UNSAFE	8.74%	8.10%+	(6.37%-10.24%)	12.10%	(7.92%-18.07%)	13.23%	(6.46%-25.19%)
WERE THREATENED OR INJURED WITH A WEAPON ON SCHOOL PROPERTY	5.32%	4.28%***	(3.13%-5.83%)	10.26%*	(6.03%-16.92%)	13.64%*	(6.65%-25.95%)
WERE IN A PHYSICAL FIGHT	14.37%	12.11%***	(9.94%-14.67%)	23.89%**	(16.34%-33.54%)	37.28%***	(25.95%-50.21%)
WERE INJURED IN A PHYSICAL FIGHT	2.70%	1.85%***	(1.10%-3.10%)	5.08%	(2.27%-10.96%)	13.83%***	(7.14%-25.08%)
WERE IN A PHYSICAL FIGHT ON SCHOOL PROPERTY	4.91%	4.24%**	(3.15%-5.70%)	5.86%	(3.23%-10.39%)	16.29%***	(8.45%-29.10%)

*** p<.001 ** p<.05 * p<.01 +p<.1

SAN DIEGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

SAN DIEGO — WEAPONS AND FIGHTING AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
CARRIED A WEAPON	4.02%	3.10%***	(2.22%-4.33%)	8.84%**	(5.02%-15.09%)	10.00%*	(4.60%-20.38%)
CARRIED A GUN	0.44%	0.36%	(0.17%-0.76%)	0.00%	(.%-.)	3.89%**	(0.83%-16.37%)
CARRIED A WEAPON ON SCHOOL PROPERTY	1.26%	0.88%**	(0.51%-1.50%)	3.26%*	(1.24%-8.29%)	3.62%+	(1.21%-10.36%)
DID NOT GO TO SCHOOL BECAUSE THEY FELT UNSAFE	6.10%	5.59%+	(4.26%-7.29%)	10.30%*	(6.31%-16.36%)	4.12%	(1.46%-11.13%)
WERE THREATENED OR INJURED WITH A WEAPON ON SCHOOL PROPERTY	2.58%	2.01%**	(1.45%-2.78%)	5.31%**	(2.89%-9.57%)	6.97%*	(2.46%-18.18%)
WERE IN A PHYSICAL FIGHT	13.54%	12.94%	(10.62%-15.69%)	14.47%	(9.60%-21.21%)	25.29%*	(15.20%-38.98%)
WERE INJURED IN A PHYSICAL FIGHT	2.06%	1.66%*	(0.93%-2.93%)	3.29%	(1.41%-7.46%)	7.57%*	(2.63%-19.89%)
WERE IN A PHYSICAL FIGHT ON SCHOOL PROPERTY	2.70%	2.35%*	(1.67%-3.28%)	3.37%	(1.61%-6.90%)	9.22%**	(3.51%-22.10%)

SAN DIEGO — DATING AND SEXUAL VIOLENCE AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
WERE EVER PHYSICALLY FORCED TO HAVE SEXUAL INTERCOURSE	8.83%	7.47%***	(6.02%-9.23%)	17.81%***	(11.61%-26.32%)	11.07%	(5.32%-21.63%)
EXPERIENCED PHYSICAL DATING VIOLENCE	8.50%	7.61%*	(5.99%-9.62%)	13.16%+	(7.67%-21.65%)	14.03%	(4.97%-33.72%)
EXPERIENCED SEXUAL DATING VIOLENCE	15.69%	14.22%**	(11.38%-17.63%)	25.00%**	(17.82%-33.88%)	18.68%	(8.87%-35.15%)

*** p<.001 ** p<.05 * p<.01 +p<.1

SAN DIEGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

SAN DIEGO — BULLYING, TEASING, HARASSMENT, AND SCHOOL PERFORMANCE AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
WERE BULLIED ON SCHOOL PROPERTY	18.28%	16.87%**	(14.38%-19.69%)	25.05%*	(18.51%-32.95%)	29.20%*	(18.45%-42.92%)
WERE ELECTRONICALLY BULLIED	17.97%	17.03%*	(14.96%-19.31%)	23.76%*	(17.68%-31.13%)	21.14%	(12.30%-33.88%)
TEASED FOR BEING GAY	---	---	---	---	---	---	---
HARASSED FOR BEING GAY	9.17%	7.32%***	(5.87%-9.09%)	15.81%**	(11.69%-21.03%)	31.23%***	(18.97%-46.84%)
TEASED OR HARASSED FOR BEING GAY	9.17%	7.32%***	(5.87%-9.09%)	15.81%**	(11.69%-21.03%)	31.23%***	(18.97%-46.84%)
GET MOSTLY AS AND BS	79.30%	78.85%	(74.16%-82.89%)	81.31%	(72.74%-87.65%)	83.26%	(68.57%-91.90%)

SAN DIEGO — SADNESS AND SUICIDE AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
FELT SAD OR HOPELESS	39.82%	37.20%***	(33.93%-40.59%)	54.30%***	(47.39%-61.04%)	53.34%+	(38.93%-67.22%)
SERIOUSLY CONSIDERED ATTEMPTING SUICIDE	20.61%	18.56%***	(16.09%-21.32%)	32.70%***	(27.26%-38.65%)	28.80%	(18.32%-42.18%)
MADE A PLAN ABOUT HOW THEY WOULD ATTEMPT SUICIDE	16.64%	14.22%***	(10.81%-18.47%)	32.06%***	(24.70%-40.44%)	21.99%	(9.38%-43.45%)
ATTEMPTED SUICIDE	10.50%	9.50%**	(7.73%-11.62%)	16.41%**	(11.64%-22.63%)	15.13%	(7.34%-28.63%)
NONSUICIDE SELF-INJURY	25.56%	22.55%***	(20.25%-25.02%)	44.47%***	(37.76%-51.39%)	33.09%	(21.16%-47.68%)

*** p<.001 ** p<.05 * p<.01 +p<.1

SAN DIEGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

SAN DIEGO — OTHER UNINTENTIONAL INJURY RISK BEHAVIORS AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
RARELY OR NEVER WORE A SEAT BELT	2.80%	2.40%+	(1.74%–3.30%)	6.06%*	(2.99%–11.90%)	1.19%	(0.16%–8.43%)
RODE WITH A DRIVER WHO HAD BEEN DRINKING ALCOHOL	20.50%	20.73%	(18.31%–23.39%)	16.82%	(11.40%–24.12%)	27.47%	(17.16%–40.92%)

SAN DIEGO — TOBACCO USE AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
EVER TRIED CIGARETTE SMOKING	30.86%	29.23%***	(25.87%–32.83%)	39.28%**	(32.14%–46.90%)	42.11%+	(29.52%–55.81%)
SMOKED A WHOLE CIGARETTE BEFORE AGE 13 YEARS	3.51%	2.74%***	(1.95%–3.84%)	7.24%**	(4.38%–11.73%)	9.70%+	(3.41%–24.62%)
CURRENTLY SMOKED CIGARETTES	7.29%	6.19%**	(4.80%–7.96%)	11.97%*	(8.08%–17.36%)	17.89%*	(8.97%–32.54%)
SMOKED AT SCHOOL	0.53%	0.16%*	(0.02%–1.16%)	2.60%*	(0.72%–8.93%)	2.50%	(0.32%–17.19%)
CURRENTLY USE SMOKELESS TOBACCO	0.99%	0.94%	(0.43%–2.02%)	0.94%	(0.12%–6.82%)	2.50%	(0.32%–17.19%)
CURRENTLY SMOKED CIGARS	3.98%	3.58%	(2.29%–5.54%)	5.02%	(1.86%–12.84%)	10.68%+	(3.30%–29.50%)

SAN DIEGO — ALCOHOL USE AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
EVER DRANK ALCOHOL	62.30%	62.28%	(58.73%–65.69%)	64.34%	(57.55%–70.61%)	55.87%	(41.99%–68.88%)
DRANK ALCOHOL BEFORE AGE 13 YEARS	13.36%	11.89%***	(9.75%–14.43%)	21.87%***	(16.78%–27.99%)	19.81%	(10.93%–33.21%)
USUALLY OBTAINED THE ALCOHOL THEY DRANK BY SOMEONE GIVING IT TO THEM	47.04%	45.12%	(36.54%–54.00%)	57.30%	(35.07%–76.93%)	59.73%	(25.08%–86.80%)

*** p<.001 ** p<.05 * p<.01 +p<.1

SAN DIEGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

SAN DIEGO — OTHER DRUG USE AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
TRIED MARIJUANA BEFORE AGE 13 YEARS	5.11%	4.36%*	(3.03%-6.24%)	10.16%**	(6.37%-15.83%)	6.05%	(1.94%-17.33%)
CURRENTLY USED MARIJUANA	18.38%	17.82%	(15.00%-21.04%)	19.75%	(14.24%-26.72%)	27.28%	(16.35%-41.85%)
EVER USED COCAINE	3.62%	3.49%	(2.65%-4.57%)	3.99%	(1.99%-7.85%)	5.64%	(1.42%-19.86%)
EVER USED INHALANTS	6.82%	5.69%***	(4.50%-7.18%)	10.38%+	(6.38%-16.45%)	22.03%***	(12.18%-36.53%)
EVER USED HEROIN	0.81%	0.83%	(0.38%-1.82%)	0.36%	(0.05%-2.63%)	1.64%	(0.21%-11.50%)
EVER USED METHAMPHETAMINES	1.53%	1.41%	(0.85%-2.32%)	1.21%	(0.41%-3.50%)	5.58%+	(1.41%-19.66%)
EVER USED ECSTASY	8.27%	7.39%**	(5.67%-9.57%)	13.58%**	(10.03%-18.15%)	11.56%	(4.43%-26.92%)
EVER USED SYNTHETIC CANNABINOIDS	6.66%	6.16%	(4.43%-8.50%)	9.31%	(5.19%-16.17%)	9.58%	(3.31%-24.69%)
EVER TOOK STEROIDS WITHOUT A DOCTOR'S PRESCRIPTION	1.58%	1.72%	(1.10%-2.67%)	0.50%	(0.07%-3.61%)	2.05%	(0.47%-8.45%)
EVER TOOK PRESCRIPTION DRUGS WITHOUT A DOCTOR'S PRESCRIPTION	10.51%	9.75%*	(7.97%-11.87%)	13.16%	(8.94%-18.96%)	19.99%*	(11.09%-33.36%)
EVER INJECTED ANY ILLEGAL DRUG	0.82%	0.76%	(0.40%-1.43%)	1.14%	(0.34%-3.79%)	1.19%	(0.16%-8.43%)
EVER USED ILLEGAL DRUGS AT SCHOOL	27.56%	26.51%*	(23.38%-29.89%)	33.17%+	(26.20%-40.97%)	33.86%	(21.74%-48.54%)
EVER USED ANY HARD DRUGS	16.26%	14.96%**	(12.83%-17.37%)	22.37%*	(17.79%-27.74%)	26.94%*	(16.44%-40.87%)

*** p<.001 ** p<.05 * p<.01 +p<.1

SAN DIEGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

SAN DIEGO — SEXUAL BEHAVIOR AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
EVER HAD SEXUAL INTERCOURSE	31.40%	31.22%	(27.00%-35.77%)	32.86%	(24.88%-41.96%)	30.67%	(18.78%-45.85%)
HAD SEXUAL INTERCOURSE BEFORE AGE 13 YEARS	1.39%	1.21%	(0.73%-1.99%)	2.41%	(0.83%-6.83%)	2.46%	(0.32%-16.41%)
HAD SEXUAL INTERCOURSE WITH FOUR OR MORE PERSONS	3.95%	3.75%	(2.72%-5.13%)	6.13%	(3.46%-10.64%)	1.22%	(0.17%-8.21%)
WERE CURRENTLY SEXUALLY ACTIVE	22.32%	22.73%	(18.98%-26.97%)	21.36%	(15.48%-28.72%)	15.53%	(6.84%-31.54%)

SAN DIEGO — HIV TESTING AND INFORMATION AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
WERE EVER TESTED FOR HIV	12.33%	12.41%	(10.33%-14.84%)	11.20%	(7.35%-16.70%)	14.43%	(7.68%-25.48%)
EVER TAUGHT ABOUT HIV IN SCHOOL	87.82%	88.10%	(86.03%-89.90%)	88.04%	(82.50%-92.00%)	80.34%	(64.71%-90.10%)

SAN DIEGO — WEIGHT AND WEIGHT MANAGEMENT AMONG FEMALES BY GENDER EXPRESSION

HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
OVERWEIGHT OR OBESE	38.05%	36.24%***	(32.94%-39.69%)	49.82%**	(42.76%-56.89%)	41.95%	(29.30%-55.75%)
TRIED TO LOSE WEIGHT	62.81%	63.23%	(60.12%-66.23%)	62.34%	(55.33%-68.87%)	53.87%	(39.98%-67.18%)
NOT EAT, USE DIET PRODUCTS OR VOMIT TO LOSE WEIGHT	19.27%	17.76%+	(14.19%-21.99%)	31.44%*	(19.87%-45.88%)	12.81%	(4.39%-32.02%)

*** p<.001 ** p<.05 * p<.01 +p<.1

SAN DIEGO GENDER EXPRESSION DATA ANALYSIS IN THREE CATEGORIES

SAN DIEGO — PHYSICAL ACTIVITY AMONG FEMALES BY GENDER EXPRESSION							
HEALTH RISK BEHAVIOR	ALL FEMALES	FEMININE FEMALES	95%CI	ANDROGYNOUS FEMALES	95%CI	MASCULINE FEMALES	95%CI
WERE PHYSICALLY ACTIVE AT LEAST 60 MINUTES PER DAY ON 5 OR MORE DAYS	42.61%	42.38%	(39.18%-45.65%)	44.65%	(37.25%-52.30%)	41.04%	(28.93%-54.33%)
WATCHED TELEVISION 3 OR MORE HOURS PER DAY	23.89%	23.84%	(20.67%-27.32%)	26.40%	(20.46%-33.35%)	16.54%	(8.92%-28.62%)
PLAYED VIDEO OR COMPUTER GAMES OR USED A COMPUTER 3 OR MORE HOURS PER DAY	44.22%	43.18%+	(40.06%-46.34%)	49.08%	(41.01%-57.20%)	52.82%	(35.76%-69.24%)
PLAYED ON AT LEAST ONE SPORTS TEAM	48.84%	48.63%	(45.34%-51.92%)	48.39%	(41.64%-55.20%)	55.54%	(41.68%-68.58%)
HAD EVER BEEN TOLD BY A DOCTOR OR NURSE THAT THEY HAD ASTHMA	16.98%	16.43%	(14.67%-18.35%)	20.09%	(15.17%-26.11%)	19.84%	(10.89%-33.37%)

*** p<.001 ** p<.05 * p<.01 +p<.1